CATALOGUE 2023/2024

STROHM

ТЕКА



INDEX

Strohm	4
Shower columns and taps	10
Ceramic toilets and basins	118
Bathtubs	138
Vanity units, basins and mirrors	142
Shower enclosures	198
Shower trays	204
Bathroom accessories	260

Strohm belongs to the Swiss holding company Heritage B and is the Group brand for integral bathroom solutions, with a holistic approach to bathroom spaces that goes well beyond the sum of the various units.

Strohm boasts more than 100 years of experience in the industry, along with a solid reputation for quality products manufactured in our plants in Spain, China and Hungary.

Design, sustainability, innovation and technology are the cornerstones of a brand concept aimed at enhancing the role of bathrooms within every home.

Strohm provides state-of-the-art bathroom solutions: taps, shower systems, furniture, basins, screens, bathtubs, toilets, bidets and bathroom accessories, all adapted to needs and lifestyles of our customers.

Our customers and their preferences for relaxation, comfort and intimacy are the core of everything we do at Strohm.

TEKA

STROHM

Inspiring bathrooms



STROHM: INSPIRING **BATHROOMS FOR NOW AND THE** FUTURE.



OUR HISTORY



Casa Buades

Originally founded under the name of Casa Buades, the company was exclusively dedicated to making taps.



1989

1900

Teka Group

Teka Group acquired Casa Buades in order to broaden its business line.

This business unit specialised in the manufacture of kitchen and bathroom taps.



Acquisition of Mofém

Teka acquired MOFÉM, the leading company in the Hungarian market, dedicated to the manufacture of bathroom products and industrial valves.



Factory in China Kaiping Teka Faucets is established in China to manufacture taps, bringing our products to other continents.



At the ISH Trade Fair in Frankfurt, Strohm Teka was presented as the global bathroom solutions brand.



Strohm becomes independent, along with its Mófem brands and its Kaiping Teka Faucets plant. It opens its first showroom in Madrid and sets up



Strohm opens its own showroom in Budapest.

Creation of Strohm Teka


A new milestone its main offices in this city.

New site A space devoted to the end user.





R & D AND QUALITY



We are continuously in pursuit of efficient solutions designed to improve the quality of life of bathroom users, by creating innovative and safe bathroom products.

Our quality control process begins with our brainstorming and design sessions to take every detail into consideration, from user experience and the design of every component through to the selection of materials and highest quality suppliers.

Strohm products undergo a strict internal quality control process in our own laboratories as well as by external quality certification entities such as AENOR in Spain and NF in France.

Our factories and processes are ISO 9001 certified and continuously being reviewed to ensure that every product and process meets the highest standard of excellence. Our goal as a brand is to create inspiring products that enhance the lives of our users, with health and safety at the forefront of all our work.



ACS





SHOWER COLUMNS AND TAPS

180° Novelty!	16
HEALTHY	20
THERMOSTATIC	24
DUAL CONTROL	28
SINGLE LEVER	30
LAVI Novelty!	38
SENSE	46
SOLLER Novelty!	52
FORMENTERA	58
ITACA	64
CALVIA	72
ALAIOR	76
MT PLUS	80
MANACOR Novelty!	84
INCA	90
DESSIN Novelty!	94
INNOVAT Novelty!	100
SPECIAL TAPS	103



MAIN FEATURES OF OUR TAP SETS



Safe Touch Technology

This safety system adds extra comfort to daily tap use thanks to a plastic part built into the main body of the tap designed to prevent high temperatures from transferring to the metal, thus avoiding scalding.

> **Easy Fix System** Installing a tap has never been easier. Easy Fix taps can be installed without using tools, thanks to its screw mechanism that reduces installation time by 60%.





Super eco: This product saves water. It uses under 5 litres per minute.



Noise reducer: The bath-shower and shower mixer taps have built-in noise reducers, sustainably reducing the sound of water running through the tap.




Environmental commitment: This product has been made with 80% sustainable materials. Less water and energy have been used in its manufacturing process.



Easy installation: Installation does not require additional works.



PVD: Metal coating available in a wide range of colours that is highly resistant to abrasion and chemicals.



Cold Body System

80% of the tap body remains cold and at a pleasant temperature, even if running hot water. This translates into safer taps for children. This system can be installed in the bath/shower set, shower taps and shower columns.



Anti-fingerprint system: A special coating that is applied post-PVD to avoid fingerprints from marking the taps. Available for products with PVD treatment in black, rose gold and bronze.

MULTIBOX

Multifunctionality

A concealed system for built-in bathroom solutions: double shower system, added bathtub outlet, side showers...

Safety and comfort

This concealed system helps to reduce scalding due to hot water running through pipes. The noise reduction pieces significantly reduce the sound of running water.

Looks better and saves space

A more homogeneous surface on the wall looks better and makes better use of bathroom space.

Easy to use


All controls are on a single panel (temperature, flow regulators, inverter...).


Easy to clean

A solution that saves space in the shower and bath also means that there is less surface area to clean.

A single concealed body for many models, making installation easier

Its independent adjustable legs means that the box can be installed in both flat and irregular surfaces. Once installed, the front of the Multi-box can be adjusted using the 4 adjustment screws. Easy to install thanks to the adjustable tabs and the 27 mm installation range in the box.





Ref.: 1065200

STROHM TEKA MULTI-BOX®







Shower column with concealed hose.

Worldwide novelty!



VIDEO



180° **SHOWER COLUMN** WITH CONCEALED HOSE



18<mark>0</mark>°

PATEN



180° Healthy Thermostatic shower system

- \cdot Metallic flexible hose and 1 function hand shower concealed in the bar

- Healthy Technology: Automatic emptying of water left in pipes after every use
 Thermostatic mixer with safety temperature stop at 38° C
 Safe Touch technology ensuring tap body outer surface cold by the truth. to the touch
- Integrated ceramic diverter
 Shower head Ø25 cm
- Check valves protected by filters



Finish	REF.
Chrome	182540200

180° Healthy Dual Control shower system


- \cdot Metallic flexible hose and 1 function hand shower concealed
- Metallic flexible hose and 1 function hand shower concealed in the bar
 Healthy Technology: Automatic emptying of water left in pipes after every use
 Dual control: Single mixer with thermostatic mixer appearance
 Shower head Ø25 cm


- Check valves protected by filters



Finish Chrome








HEALTHY CLEAN WATER FROM START TO FINISH

Healthy, a clean and silent shower that improves your quality of life.



Healthy 0% bacteria 0% dripping 100% health

The new Healthy thermostatic shower by Strohm cares for your health and that of your family. Thanks to the automatic release of the water retained in the shower column set, Healthy guarantees total sanitation of the ducts, as well as eliminating any possibility of dripping and annoying noises once the tap is turned off.

Healthy is responsible for eliminating the risk of bacteria generation due to water stagnation,protecting your skin and providing a safe and pleasant shower experience.

Anti-bacterial

Helping to prevent diseases with drain water technology after each use.

Scalding prevention

All our thermostatic mixers are fitted with a 38°C temperature stop. This device prevents unwanted temperature variations, thus reducing the risk of burns.





HEALTHY

3

B

Thermostatic shower mixer with upper outlet Thermostatic shower mixer with upper outlet International patent Thermostatic mixer with safety temperature stop at 38° C Integrated ceramic diverter Adjustable round telescopic rail: Min. height: 960 mm - Max. height: 1300 mm Ultraslim metal shower head with anti-scale system: Ø250 mm - 2 mm Thickness 5 functions black hand shower with anti-scale system Black 1.5 m flexible shower hose with anti-twist system Sliding shower holder Check valves protected by filters

EASY INSTALL

Finish	REF.
Chrome-Black	182310200

Healthy Thermostatic shower system


- Healthy Thermostatic shower system


 Thermostatic shower mixer with upper outlet
 International patent
 Thermostatic mixer with safety temperature stop at 38° C
 Integrated ceramic diverter
 Adjustable round telescopic rail:
 Min. height: 790 mm
 Max. height: 1300 mm
 Ø250 mm Metallic shower head with anti-scale system
 3 functions hand shower
 1.5 m metal flexible shower hose



EASY S

REF. 182300200





THERMOSTATIC SAFETY, COMFORT AND PRECISION

What is a thermostatic mixer? It is a water mixer that automatically keeps the water temperature constant within the selected range even in the event of temperature or flow fluctuations.

How does it work?

The Strohm Thermostatic Mixer automatically mixes hot and cold water. All you have to do is select the desired temperature with the temperature regulator, which will be reached by the water flow in just a few seconds and kept constant throughout your shower.

What are the advantages of this mixer?

The Strohm Thermostatic Mixer ensures maximum user comfort and safety, as well as saving 50% energy and water consumption.

AIR CHAMBER / SAFE TOUCH CASING WATER FLOW THERMOSTATIC MIXER





Safe Touch Technology

Internal plastic device that creates an internal pocket of air preventing high temperatures from being transferred to the outer metal casing. Ensures maximum comfort and safety as well as saving 50% energy and water consumption.

Environment-friendly

Thermostatic Mixers help to save water and energy, thus protecting the environment.

Scalding prevention


All our thermostatic mixers are fitted with a 38°C temperature stop. This device prevents unwanted temperature variations, thus reducing the risk of burns.





THERMOSTATIC

THERMOSTATIC





Manacor Thermostatic Shower svstem

- Thermostatic shower mixer with upper outlet
- Safe touch system Thermostatic mixer with safety
- temperature stop at 38° C
- Integrated automatic diverter
 Adjustable round telescopic rail:
- Min. height: 800 mm
 Max. height: 1310 mm
 Ultraslim metal head shower with anti-scale system:
- Ø200 mm
- 2 mm thickness
 3 functions hand shower
- with anti-scale system
 1.5 m flexible metal shower hose
- Sliding shower holder Check valves protected by filters

Finish Chrome 842380200

Finish

Black

REF 84238020N

Thermostatic bath shower mixer with upper outlet

- Safe touch system
 Thermostatic mixer with safety temperature stop at 38° C
- Diverter built into flow mixer; bathtub spout, hand shower and head shower
- Adjustable round telescopic rail:
- Mustable found telescopic fail:
 Min. height: 930 mm
 Max. height: 1530 mm
 Shower head with anti-scale system:
 Ø246 mm
- 1 function hand shower
- with anti-scale system High quality 1.5 m flexible shower hose
- Sliding shower holder
- Check valves protected by filters

Finish Chrome 30138020C3



DUAL CONTROL THERMOSTATIC DESIGN WITH SINGLE LEVER MIXER **FUNCTIONALITY**

THERMOSTATIC

AESTHETICS

The Strohm Dual Control shower system blends the aesthetics of thermostatic taps with the practicality of a standard single lever. An elegant product that does not require maintenance.

The 180°, Soller, Manacor and Healthy collections boast this new technology, along with the Safe Touch system in the Soller and Manacor collections, which prevent hot water temperature from heating the metal body of the tap, thus preventing scalding and making it ideal for use by children and the elderly.

+ HOT COLD

Temperature Control The right side of this single lever mixer regulates temperature. Turn to the right/left to achieve desired water temperature.

SINGLE LEVER


TECHNOLOGY

Dual Control.

The elegance of a thermostatic system, the practicality of single lever system.



VIDEO



Left lever has a double function: Selection of water outflow (showerhead or hand-shower and Flow regulation.

DUAL CONTROL

Soller dual control shower system

- Dual Control mixer with upper outlet Safe touch system
- Integrated automatic diverter Adjustable round telescopic rail
- Min. height: 800 mm - Max, height: 1310 mm
- Shower head 200 x 200 mm with anti-scale system
- Hand shower with anti-scale system
 1.5 m anti-twist flexible shower hose
- Sliding shower holder
 Check valves protected by filter



E I

EAST	
Finishes	
Chrome	

Manacor Dual Control Shower System

- Dual Control mixer with upper outlet
- Safe touch system
- Integrated automatic diverter Adjustable round telescopic rail:
- Min. height: 800 mm Max. height: 1310 mm Metal ultraslim shower head with anti-scale system
- Ø200 mm - 2 mm thickness
- 3 function hand shower with anti-scale system
 1.5 m flexible metal shower hose


Black

- Sliding shower holder
- · Check valves protected by filters




EASY SINSTALL Finishes Chrome

Black



852780200 85278020N

REF.



SINGLE LEVER DESIGN AND SIMPLICITY

Water saving technology that is simple to install

The classical shower system with a twist. Fitted with user-adjustable rails, an anti-scale system for easy cleaning and a range of designs to suit every customer, as well as water-saving features in most models.



DIY installation

You can now instal a shower system with no need install for professional fitters and builders. **Adjustable telescopic rails** The telescopic rail can be adjusted to suit your needs.




Water saving If your water pressure is too high, we recommend installing the automatic flow control valve, which enables you to save water every time you take a shower.




SINGLE LEVER

SINGLE LEVER



32 | SHOWER COLUMNS AND TAPS

· 1 function hand shower with anti-scale system




672970200 67297020G2 67297020G3 6729702002 67297020N2 67297020BZ

REF

Formentera Single lever shower system

Min. height: 950 mm
Max. height: 1140 mm
XL square shower head with anti-scale system, 279 x 279 mm
High quality 1.5 m flexible metal shower hose
Formentera 1 function hand shower with anti-scale system
Square flanges, for a more integrated design
Cliding a charge header



REF.

SINGLE LEVER

Alaior single lever shower system Ø250 \cdot Shower mixer with upper outlet Automatic diverter Adjustable round telescopic rail: CENSE (12) Adjustable round telescopic rail: Min. height: 810 mm Max. height: 1320 mm Disk II shower head Ø250 mm with anti-scale system Ice hand shower with anti-scale system (3 functions) High quality 1.5 m flexible metal shower hose Cliding a charace helder. 3 : Sliding shower holder Finish REF. Chrome 222970200 Mt Plus Single lever bath shower mixer Shower mixer with upper outlet Automatic diverter Adjustable round telescopic rail: Min. height: 870 mm Min. height: 870 mm Max. height: 1380 mm Disk II shower head 200 mm with anti-scale system 3 functions Stylo Sport hand shower with anti-scale system High quality 1.5 m flexible metal shower hose Sliding shower holder Finish REF.

462980200-H

Chrome

34 | SHOWER COLUMNS AND TAPS

Finish Chrome

841980200

REF

Shower mixer with upper outlet
Automatic diverter

Adjustable round telescopic rail: - Min. height: 960 mm

Finish

SINGLE LEVER

REF. Chrome 842980200


Manacor single lever shower system with spout


- Bath-shower mixer with upper outlet
- Automatic diverter
 Adjustable round telescopic rail:
 Min. height: 960 mm

- Min. height: 900 mm
 Max. height: 1338 mm
 Shower head Ø200 mm with anti-scale system
 3 functions hand shower with anti-scale system
 High quality 1.5 m flexible metal shower hose
 Sliding shower holder

Manacor single lever shower system

Min. height: 960 mm
Max. height: 1338 mm
Shower head Ø200 mm with anti-scale system
3 functions hand shower with anti-scale system
High quality 1.5 m flexible metal shower hose
Sliding shower holder








SINGLE LEVER

Dessin single lever shower mixer • Shower mixer with upper outlet • Automatic diverter • Adjustable round telescopic rail: • Min. height: 820 mm • Max. height: 1330 mm • Shower head Ø246 mm with anti-scale system • 1 function hand shower with anti-scale system • High quality 1.5 m flexible shower hose • Sliding shower holder

EASY INSTALL

Finish REF. Chrome 30298020C3





LAVI

Nordic inspiration in a symphony of clean and aesthetic lines that decorate your bathroom with the utmost functionality.



FINISHES






VIDEO





LAVI


LAVI



LAVI







REF.

790086100 79006810W 79006810N

REF.




REF.

LAVI





VIDEO



SENSE

Connect with your senses. The most evocative shapes from the seabed inspire a collection designed to immerse you in an ocean of calm.







VIDEO

-ø3:

SENSE

.



- Swivel ball joint
 Anti-scale aerator
 3/8" and 1/2" flexible inlet pipes included
- Without pop-up waste

REF.
91626020

Bath/Shower Mixer without Shower Set

- Ceramic diverter integrated in the handle Equipped with noise reducers Anti-scale aerator
 Without shower set



Three hole deck Bath/Shower Mixer

• With 1 function antiscale hand shower Fixed central spout integrated diverter
Anti-scale aerator
3/8" flexible

Finish	REF.
Chrome	9115202


Shower Mixer without Shower Set

Equipped with noise reducers
 Without shower set



-∰ldB REF. Finish Chrome 912310200





Finish REF. 914310200 Chrome

Wall-mounted Washbasin Mixer


 Anti-scale aerator 221 mm maximum spout outflow distance Without pop-up waste




Finish Chrome

REF.

914610200





REF. 913460200

Washbasin Mixer L Water flow limiter 5 l/min

Washbasin Mixer M

Anti-scale aerator

Finish

Chrome

 Water flow limiter 5 l/min Saves up to 60% water

Without pop-up waste

Ideal for BREEAM and LEED projects

Ceramic cartridge
 3/8" and 1/2" flexible inlet pipes included


- Saves up to 60% water
 Ideal for BREEAM and LEED projects
 Anti-scale aerator
- Ceramic cartridge
 3/8" and 1/2" flexible inlet pipes included
- Without pop-up waste



Finish


REF. 913860200 Chrome

- · Easy Fix installation system in the spout



50 MAX-


50 MAX-











SENSE

SENSE




	2 way Concealed Mixer • Built in section included • Ultraslim plate • Button controlled outflow selection • Without shower set		Quick Automatic pop-u • Metallic push pop-up wast • Easy manual open-close s • No lift rod required • Can be used with washbas • On touch spring action
	Finish REF. Chrome 911710200		Finish RE Chrome 11
	1 way Concealed Mixer - Built in section included - Ultraslim plate - Without shower set	39MIN 75MAX 115	Stream head Shower • Metallic • L Size Ø250 mm • Anti-scale • Swivel ball-joint
	Finish REF. Chrome 912410200		Finish RE Chrome 79
1	Sense Shower Holder Kit • Anti-scale hand shower • 1 function • Adjustable holder • Flexible hose 1.75 m		Shower arm 300 mm • Metallic • 300 mm • Ø25 mm • Thread 1/2" • Extra-solid installation
٩	FinishesREF.Chrome790056000Black/Chrome790055800		Finish RE Chrome 79
I	Stream shower set • Antiscale hand shower • 1 function • Adjustable holder • Flexible hose 1.75 m		Vertical shower arm • Metallic • 200 mm • Ø25 mm • Thread 1/2" • Extra-solid installation
	Finish REF. Chrome 790056600		FinishREChrome79

matic pop-up waste

REF. 1106200







790076000

REF.

REF. 790075700

SOLLER

Inspired by the architecture of rail platforms and trains, SOLLER taps drive the water with maximum efficiency to invigorate and relax minds focused on design and sustainability.

VIDEO





SOLLER



SOLLER





REF. 853461250 85346125N

Anti-scale aerator
 Ideal for BREEAM and LEED projects
 Adjustable water stream directly at the aerator

REF.

REF.

853111250 85311125N

853861250 85386125N

 \cdot 3/8" and 1/2" flexible inlet pipes included

• Ideal for BREEAM and LEED projects

Anti-scale aerator
Adjustable water stream directly at the aerator
3/8" and 1/2" flexible inlet pipes included
Without pop-up waste

Washbasin Mixer

Water flow limiter 5 l/min
Saves up to 60% water

Washbasin Mixer L

Easy Fix installation System

Water flow limiter 5 l/min
Saves up to 60% water

Without pop-up waste

Washbasin Mixer XL • Easy Fix installation System

Anti-scale aerator
Ideal for BREEAM and LEED projects

ECD EAST INSTALL

ECO EAST

Bidet Mixer

Anti-scale aerator

Finishes

Chrome

Chrome

Black

-∰^{IgB}


Chrome Black

Black

Finishe

Chrome

Black



165

50×50

35 max

hòr

-G3/8



Shower mixer

 Without shower set Equipped with noise reducers



Thermostatic Shower Mixer • 38° C safety temperature stop

REF.



REF. 852010200 85201020N

2-way Concealed Mixer

- Ultraslim plate
 No shower set
- · Built-in part included

Black

Finishes Chrome Black

REF. 851711200 85171120N



- 1-way Concealed Mixer Built-in part included
 Ultraslim plate
- No shower set




REF 852411200 85241120N














Bath/Shower Mixer

- Retractable spout
 Shower function when spout is concealed
- When spout is out, bathtub function
- Diverter concealed in spout


REF. 851211200

85121120N


- · High precision and smooth ceramic cartridge Anti-scale aerator
- Noise reducers in S-connectors







Max 30-







5° Ø32 쁶


-131-

<u>G3/8</u>


 Adjustable water stream directly at the aerator
 Water flow limiter 5 l/min • Saves up to 60% water • 3/8" and 1/2" flexible inlet pipes included • Without pop-up waste











SOLLER

41




- Thermostatic shower mixer with upper outlet
 Thermostatic mixer with safety temperature stop at 38° C
- Thermostatic mixer with safety temperature stop at 38
 Safe touch system
 Adjustable square telescopic rail:

 Min. height: 830 mm
 Max. height: 1310 mm

 Integrated automatic diverter
 Shower head 200 x 200 mm with anti-scale system
 I function hand shower 80 mm with anti-scale system

- 1.5 m flexible shower hose with anti-twist system
 Sliding shower holder
 Check valves protected by filters



Shower kit

- 80 x 80 mm Hand shower
- Adjustable holder
 1.5 m shower hose with anti-twist system




- Built in Thermostatic 2 Way Shower Mixer
- Safe touch system
 2 way diverter
 With safety temperature stop at 38°C
- Check valves protected by filters
 Without shower set









Finish REF. Chrome 780220200



SOLLER







FORMENTERA

An attractive and sophisticated design that transforms the most intimate part of your home into a place of comfort, relaxation and sensuality.





FORMENTERA













Cascade Washbasin Mixer Open cascade spout Water flow limiter 5 l/min Saves up to 60% water Ceramic cartridge 3/8" flexible inlet pipes

Without pop-up waste

ACS

Finish Chrome

Tall Cascade Washbasin Mixer

REF.

RFF

623110200-H

623310200-H

- Open cascade spout
 Water flow limiter 5 l/min
 Saves up to 60% water
 Ceramic cartridge

- 3/8" flexible inlet pipes
 Without pop-up waste



Finish Chrome



- Water flow limiter 5 l/min
- Saves up to 60% water
 Anti-scale aerator
- Ceramic cartridge
 3/8" flexible inlet pipes
- Without pop-up waste



REF 623461200-H

Wall mounted Cascade Washbasin Mixer


- Ultraslim plate
 Water flow limiter 6 l/min
- Built-in part included
- Outlet type: open cascade
 Maximum spout distance: 170 mm
- Without pop-up waste

50x50 Ø33


Finish REF. Chrome 624910200



 3/8" flexible inlet pipes Without pop-up waste



REF 626260200-H



G3/8 🗔





Bath/Shower Mixer

 Automatic diverter integrated in the structure
 Equipped with noise reducers Anti-scale aerator Without shower set

REF.



Shower Mixer

Equipped with noise reducers
Without shower set



Thermostatic shower mixer

- \cdot With safety temperature stop at 38° C
- Safe touch system
 Check valves protected by filters
 Without shower set



Finish Chrome

2-Way Concealed Mixer

REF

- 40 mm cartridge
 Ultra slim plate
- Ceramic diverter
- Without shower set Concealed part included



Finish REF Chrome 621710200

1-Way Concealed Mixer

- 40 mm cartridge
 Ultra slim plate
- Without shower set · Concealed part included

Finish Chrome

622410200
















<u>G1/2</u>


25 MAX.

G 3/8




160÷170






87 59






Finish

Chrome





FORMENTERA

FORMENTERA

Shower kit Thermostatic shower system 1 function hand shower $\boldsymbol{\cdot}$ Thermostatic shower mixer with upper outlet Anti-scale Safe touch system Hand shower holder with water outlet 1.75 m Flexible shower hose • Thermostatic mixer with safety temperature stop at 38° C • Integrated automatic diverter Integrated automatic diverter Adjustable square telescopic rail: Min height: 830 mm Max height: 1310 mm Shower head 279 x 279 mm with anti-scale system 1 function Formentera hand shower with anti-scale system Silver PVC flexible hose 1.5 m with anti-twist system Adjustable hand shower holder Chadius have stated the telestication of the system 쁥 Check valves protected by filters Finish REF. Chrome 790055400 Shower head • 279 x 279 mm Swivel ball-joint Anti-scale Co. F EASY INSTALL Finish REF. Finish REF Chrome 790066500 Chrome 622381200 Metallic shower arm 300 mm Formentera single lever shower system 300 mm 25 x 25 mm 1/2" thread Shower mixer with upper outlet Safe touch system Thermostatic mixer with safety temperature stop at 38° C Integrated automatic diverter Integrated automatic diverter Adjustable square telescopic rail: Min height: 830 mm Max height: 1310 mm Shower head 279 x 279 mm with anti-scale system 1 function Formentera hand shower with anti-scale system 1.5 m Flexible hose with anti-twist system Sliding shower holder Chack valves protected by filters Check valves protected by filters Finish REF. Chrome 790075500 ASSEMBLE YOUR OWN BUILT-IN SET 2 way concealed mixer Concealed part included Formentera Showerhead Shower arm Formentera shower kit -1 function handshower -Hand shower holder with water outlet -Flexible hose EASY INSTALL Finish REF. Chrome 622980200-H

62 | SHOWER COLUMNS AND TAPS


Finishes

Chrome

Chrome Chrome Chrome REF. A. 790066500

B. 790075500 C. 621710200

D. 790055400



ITACA

Takes you on a two-way journey between the classic and the modern.



METALLIC - FINISHES PVD





Ref.: 673860200

-107--

50 MAX-

-Ø3

-G3/8

ITACA

Bidet Mixer

- Swivel ball joint Anti-scale aerator Flexible 3/8" & 1/2" inlet pipes
 Anti-fingerprint treatment in PVD models Without pop-up waste
- PVD 📉 Finishes

Pure Gold

Bath/Shower Mixer

- Ceramic diverter
- High precision and smooth ceramic cartridge Anti-scale aerator
- Noise reducers in S-connectors Anti-fingerprint treatment in PVD models
 No shower set





Loyal Bronze

- · With hand shower, anti-scale treatment and 1 function
- Anti-scale aerator



- Noise reducers in S-connectors Anti-fingerprint treatment in PVD models
 No shower set
- PVD ₩
 - - 672310200 67231020G2 67231020G3 67231020N2 67231020BZ

Thermostatic Shower Mixer

- Temperature safety stop at 38° C
 Safe Touch technology that makes tap body cool to the touch Check valves protected with Filters

- REF 672010200



ITACA



-7







Chrome Pure Gold

Anti-scale aerator

Washbasin Mixer S size

ECO PVD

Washbasin Mixer M size

ECO PVD

Finishes

Chrome

Pure Gold

Proud Rose

Brave Black

Loyal Bronze

Washbasin Mixer XL size

ECO PVD

Three hole Washbasin Mixer

· Easy Fix fast installation system in spout

Finishes

Pure Gold

Proud Rose Brave Black

Loyal Bronze

Chrome

Finishes

Chrome

Pure Gold

Proud Rose

Brave Black

Loval Bronze

• Water flow limiter to 51/min • Saves 60% compared to standard single lever mixer • Ideal for BREEAM and LEED projects

673460200 67346020G2 67346020G3

67346020N2 67346020BZ

Water flow limiter to 5l/min
 Saves 60% compared to standard single lever mixer
 Ideal for BREEAM and LEED projects
 Anti-scale aerator

RFF

REF

673860200 67386020G2


67386020G3

67386020N2

67386020BZ

Anti-scale aerator
High precision and smooth ceramic cartridge
Anti-fingerprint treatment in PVD models
Flexible 3/8" & 1/2" inlet pipes
Without pop-up waste

Ideal for BREEAM and LEED projects
 Anti-scale aerator
 High precision and smooth ceramic cartridge
 Anti-fingerprint treatment in PVD models
 Flexible 3/8" & 1/2" inlet pipes
 Without pop-up waste



Maximum distance from spout outflow: 218 mm

674310200

67431020G2

67431020G3

67431020N2

67431020BZ

- Anti-scale aerator Anti-fingerprint treatment in PVD models
- Without pop-up waste

PVD 🔪

Finishes


Chrome

Brave Black


Loval Bronze




674610200 67461020G2 67461020G3 67461020N2 67461020BZ





İΠ_






G 3/8-----










╺

50 MAX-

-ø33



- Washbasin Mixer XL size Easy Fix fast installation system Water flow limiter to 51/min Saves 60% compared to standard single lever mixer Ideal for BREEAM and LEED projects Anti-ficate aerator High precision and smooth ceramic cartridge Anti-fingerprint treatment in PVD models Flexible 3/8" Without pop-up waste

673660200 67366020G2 67366020G3 67366020N2 67366020BZ







Finishes Chrome Pure Gold Proud Rose Brave Black


67101020G3 67101020N2 67101020BZ

REF

RFF

REF.

Three hole deck bath shower mixer



- Fixed middle spout with integrated converter
 Automatic diverter
- Flexible 3/8" inlet pipes
- Anti-fingerprint treatment in PVD models



Finishes Chrome Pure Gold ELE ELE ELE Proud Rose Brave Black

67152020G3 67152020N2 Loyal Bronze 67152020BZ

Shower Mixer



Pure Gold

Loyal Bronze



Anti-fingerprint treatment in PVD models
 No shower set



PVD 📉 Finishes


Chrome Pure Gold Proud Rose Brave Black Loval Bronze

67201020G2 67201020G3 67201020N2 67201020BZ












Finishes Chrome





G 1/2-

64÷69


+100+ +66


A

2

G 1/2

ITACA





vay concealed mixer ncealed part included wer kit function handshower land shower holder with water

Finishes REF. Chrome A. 672410200 Chrome B. 790056400

		Finishes Chrome Pure Gold Proud Rose Brave Black Loyal Bronze	REF. 671710200 67171020G2 67171020G3 67171020N2 67171020BZ	66 MAX -
		1-Way concealed m • Built-in part included • Ultraslim plate • Anti-fingerprint treat • No shower set	I	
1	in the	PVD Finishes Chrome Pure Gold Proud Rose Brave Black Loyal Bronze	REF. 672410200 67241020G2 67241020G3 67241020N2 67241020BZ	1
		 1 function Anti-scale Brass 		
	ļ	Finishes Chrome Pure Gold Proud Rose Brave Black Loyal Bronze	REF. 790056600 79005660G2 79005660G3 79005660N2 79005660BZ	
		Quick Automatic po • Push pop-up waste • Easy manual open-cl • No lift rod required		

- Can be used with washbasins with and without overflow
 On touch spring action

2-Way concealed mixer

Anti-fingerprint treatment in PVD models
 No shower set

REF

Built-in part included
Ultraslim plate


PVD

Finishes


PVD Finishes Chrome Pure Gold Proud Rose Brave Blac Loyal Bron

	REF.
	1106200
	1106200
e	1106200
ck	110620
nze	110620

00 0G2 0G3 0N2 0BZ



Ø63





ıtlet -Flexible hose

ľ	Ī	Ţ	Finisl Chron Pure (Proud Brave Loyal
UR O	WN BUILT	-IN SET	
		A	• 1 wa • Conc • Shov -1 f -Ha out



ITACA

E E

P

52

-



Щ

ITACA











Chrome Pure Gold Proud Rose Brave Black Loyal Bronze

Thermostatic shower system

Thermostatic Shower System Plus

Safe touch System

 Adjustable telescopic rail: - Min. height: 970 mm - Max. height: 1310 mm

1.5 m flexible shower hose
Check valves protected by filters

 \cdot Thermostatic shower mixer with upper outlet

Shower head Ø250 mm with anti-scale system
 1 function hand shower

• Thermostatic mixer with safety temperature stop at 38° C • Integrated automatic diverter

Safe touch System

RFF 672370200 67237020G2

Thermostatic mixer with safety temperature stop at 38° C
 Integrated automatic diverter

REF.

672380200

67237020G3 67237020N2 67237020BZ

- Adjustable telescopic rail:
 Min. height: 970 mm
 Max. height: 1310 mm
 Ultra slim triangular shower head 290x300 mm with anti-scale system

- 3 function hand shower
 Sliding shower holder
 1.5 m flexible shower hose
 Check valves protected by filters

302.6 1.5m

Finish Chrome

ſ

Sliding shower holder

- Single lever shower mixer with upper outlet
 Ceramic diverter
- Noise reducers in S-connectors
 Adjustable telescopic rail:
 min height 840 mm
 max height 1350 mm
 Shower head with anti-scale system Ø250 mm

- 1 function hand shower with anti-scale tratment
 1.5 m antitwist flexible hose
- Sliding shower holder
 Anti-fingerprint treatment in PVD models

Finishes	REF.
Chrome	67297020
Pure Gold	67297020
Proud Rose	67297020
Brave Black	67297020
Loyal Bronze	67297020

Single lever shower system

- Shower mixer with upper outlet
- Automatic diverter
 Noise reducers in S-connectors
 Adjustable round telescopic rail:

 Min. height: 840 mm
 Max. height: 1350 mm


Ā	Þ		
T	5		


REF. 672980200

Finish

Chrome







CALVIA

Balance in a bathroom is key. This collection offers a well-proportioned blend of traditional and cutting-edge design.






CALVIA







ACS Finish REF. Chrome 323460200-H




Washbasin Mixer

Anti-scale aerator
3/8" flexible inlet pipes Without pop-up waste

· Easy Fix fast installation system

Anti-scale aerator
 Hing precision and smooth ceramic cartridge
 Flexible 3/8" inlet pipes




EASY Finish REF. Chrome 323110200

Bidet Mixer

Finish

 Swivel ball joint Anti-scale aerator
3/8" flexible inlet pipes Without pop-up waste

Without pop-up waste



G 3/8

-121--

292 ³²⁵

⊷G 3/8

REF. 326260200-H Chrome







Bath/Shower Mixer

REF.

₩^{IdB} Finish

Chrome

Shower Mixer

Built-in part included

Automatic diverter
High precision and smooth ceramic cartridge
No shower set

Finish	REF.
Chrome	321710200

Finish

1-Way concealed mixer

Built-in part included
High precision and smooth ceramic cartridge
No shower set


	T
Į,	


REF. Chrome 322410200
















Ø160

ALAIOR

The splendour of simplicity. A minimalist collection of cylindrical forms to suit any bathroom environment.





ALAIOR

CONNERS

ALAIOR







Washbasin Mixer XL

Without pop-up waste

 Anti-scale aerator High precision and smooth ceramic cartridge Flexible inlet pipes 3/8"
Without pop-up waste

REF.

REF. 221220200

REF.

222320200

553660200


REF.

55346E200

Washbasin Mixer XL with ECO cartridge

Anti-scale aerator
 High precision and smooth ceramic cartridge
 Flexible inlet pipes 3/8"

Cold start ECO cartridge
Flow limiter at 51/min
Saves up to 60% compared to standard single lever mixer
Ideal for BREEAM & LEED projects



-102--

Ø33 -


-Ø50

Finish Chrome



Bath/shower mixer Bath/shower mixer With shower set Equipped with noise reducers

- Anti-scale aerator
 Diverter integrated in the mixer



G 3/8




Finish Chrome



Shower mixer

With shower set
Equipped with noise reducers

Finish Chrome





Free standing bathtub mixer

- Specially designed for free-standing bathtubs
 1 function hand shower
- 1.5 m flexible hose
 Anti-fingerprint treatment in PVD models

PVD Finishes Chrome Pure Gold Proud Rose Brave Black Loyal Bronze

REF.


Single lever shower system


- Shower mixer with upper outlet
 Ceramic diverter
 Adjustable round telescopic rail:
 Min. height: 810 mm


- Sliding shower holder











MT PLUS

A classic of our times suited to a timeless home, for those who wish to add a touch of traditional elegance.





MT PLUS












REF. 461220200

REF.

461710200







ACS NO Finish

Chrome

Finish

Chrome

₩^{IdB} Finish

Chrome

-∰ide Amari

Chrome


2-Way concealed mixer Concealed part included
40 mm cartridge
Without shower set


Shower Mixer

Washbasin Mixer

Anti-scale aerator
3/8" flexible inlet pipes


• Without pop-up waste








G 3/8---


REF. 466260200













1-Way concealed mixer

 Concealed part included
 40 mm cartridge Without shower set

Finish	REF.
Chrome	462410200

Single lever shower mixer Shower mixer with upper outlet

Sliding shower holder





Combo

 Washbasin mixer 463460210 Bath/Shower mixer 461210200
 Shower Set 790028200






Finish REF. Chrome 467101200

Combo L size Washbasin mixer L size 463820250
Bath/Shower mixer 461210280
Shower Set 790028200






RFF 467110200










Finish Chrome

82 | SHOWER COLUMNS AND TAPS



G1/2 Ø63









MANACOR

Inspired in the mysterious Majorcan archaeological sites known as Talaiots, we have created a collection with smooth lines to evoke ancestral simplicity.





Ref.: 843110250

149-

—112÷ L

Ø50 🔫 🛏

149-

–ø42

Max 30-

Ø42

- G3/8

hnd

Ø32

- G3/8

15°

⊢100-

MANACOR




Washbasin Mixer

- Flow limiter to 5l/min Saves up to 60% compared to standard single lever mixer Ideal for BREEAM and LEED projects
- Anti-scale aerator
- High precision and smooth ceramic cartridge
 Flexible 3/8" inlet pipes
- Without pop-up waste
- ECO
- Finishe REF. 843460250 Chrome Black 84346025N

Cold tap washbasin mixer



Without pop-up waste



Finish REF. Chrome 845110200

Washbasin Mixer XL

Anti-scale aerator

Bidet Mixer

Swivel ball joint

Anti-scale aerator

3/8" flexible inlet pipes

Without pop-up waste

· Easy Fix fast installation system

Ideal for BREEAM and LEED projects







REF. 843110250 84311025N

Flow limiter to 5l/min
Saves up to 60% compared to standard single lever mixer










REF.







-141-----

- 120

-181-----137-

 $\in \in$

Max 30

Ø42 -Ø50

- G3/8

-100-





Shower Mixer

wall support and flexible hose)



REF 842320200 84232020N

Thermostatic Shower Mixer

 Safety temperature stop at 38° C Safe Touch technology with cool sensation on body tap surface Check valves protected by filters
 Without shower set



Finish REF Chrome 842010200

Thermostatic Bath- Shower Mixer with spout

Without shower set

Finish	R
Chrome	8

Thermostatic Shower System

- \cdot Thermostatic shower mixer with upper outlet Safe touch system
 - Thermostatic mixer with safety temperature stop at 38° C
 - Integrated automatic diverter
 Adjustable round telescopic rail:
 - Min. height: 800 mm Max. height: 1310 mm Ultraslim metal head shower with anti-scale system:
 - Ø200 mm
 - 2 mm thickness
 - · 3 functions hand shower with anti-scale system
- 1.5 m flexible metal shower hose
- Sliding shower holder
 Check valves protected by filters



EASY

Finishes

Chrome

Black

É

REF. 842380200 84238020N




Chrome

Black









MANACOR

Single lever shower system


- $\boldsymbol{\cdot}$ Shower mixer with upper outlet
- Automatic diverter
- Adjustable round telescopic rail:
 Min. height: 960 mm
- Max. height: 1338 mm
 Shower head Ø200 mm with anti-scale system
 3 functions hand shower with anti-scale system
- High quality 1.5 m flexible metal shower hose
 Adjustable hand shower holder



Single lever shower mixer with spout

- Bath-shower mixer with upper outlet
- Ceramic diverter
 Adjustable round telescopic rail:

- Sliding shower holder














2 way concealed mixer Concealed part included
 Ultraslim plate Without shower set


Finish

Chrome










G 1/2









Without shower set

Finish Chrome

Safe touch system

EASY INSTALL

Finish

Chrome

Adjustable round telescopic rail: - Min. height: 800 mm

Sliding shower holder
Check valves protected by filters Movable spout with diverter function

- Max. height: 1310 mm

Thermostatic Shower System with movable spout

• Thermostatic mixer with safety temperature stop at 38° C • Integrated automatic diverter

Ultraslim metal shower head with anti-scale system: - Ø200 mm
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m
 - Ø m

REF.

Metal ultraslim shower head with anti-scale system: - Ø200 mm

- 2 mm thickness
- 3 function hand shower with anti-scale system
- 1.5 m flexible metal shower hose
- Sliding shower holder

Dual Control Shower System

Safe touch system
Integrated automatic diverter

 Adjustable round telescopic rail: - Min. height: 800 mm - Max. height: 1310 mm


Check valves protected by filters


Dual Control mixer with upper outlet


841480200

2 mm thickness
3 functions hand shower with anti-scale system
High quality 1.5 m flexible metal shower hose

 $\boldsymbol{\cdot}$ Thermostatic shower mixer with upper outlet







INCA

Our most iconic collection is a living tribute to our roots.





INCA



















Washbasin Mixer

AENOF

Finish

Finish

AENO

Finish

Chrome

Chrome

Tall washbasin mixer

Chrome

Swivel ball joint
Anti-scale aerator

3/8" flexible inlet pipes
Without pop-up waste

Chrome

Anti-scale aerator
3/8" flexible inlet pipes

• Without pop-up waste

REF.

REF. 53346C6

RFF

REF. 5310212

REF.

533760200

wall support and flexible hose)

5362612


Inca Bidet mixer Without pop-up waste

5334612


IDEM, flow limiter to 5l/min, ideal for BREEAM and LEED projects







Ø33





2 way concealed mixer

 Automatic push diverter
 Concealed part included • 40 mm cartridge
• Without shower set

REF.

REF.


5317112

Chro	me				53
1 wa	ау со	nce	aled	mi	хег

Finish








Finish


Chrome 5324112


Combo

• Washbasin mixer 5334612 Bath/shower mixer 5310112
 Shower set 790028200




25 MAX





۲





<u>a</u>



537190200

Finish Chrome

Ceramic angle valve

 Ceramic headpart 90° turn Equipped with filters





150181200-Н - 1/2" - 1/2" 150191200-Н - 1/2" - 3/8" washine machine angle valve 150201200-H - 1/2" - 3/4"

92 | SHOWER COLUMNS AND TAPS









DESSIN

A harmonious and attractive look that will turn your bathroom into a unique space.





DESSIN

Strohm | Teka

Ø33

DESSIN





Finish REF 30346020C3 Chrome

Washbasin Mixer M

Washbasin Mixer S

Flow limiter to 5l/min

Anti-scale aerator

Without pop-up waste

Ideal for BREEAM and LEED projects

High precision and smooth ceramic cartridge
 Flexible 3/8" and 1/2" inlet pipes

Cold start. Greater ecological savings
 Saves up to 60% compared to standard single lever mixer
 Ideal for BREEAM and LEED projects

Saves up to 60% compared to standard single lever mixer

REF.

303310270C3

• Saves up to 60% compared to standard single lever mixer • Ideal for BREEAM and LEED projects

- Anti-scale aerator
- High precision and smooth ceramic cartridge
 Flexible inlet pipes 3/8" and 1/2"

· Cold start. Greater ecological savings

Flexible 3/8" and 1/2" inlet pipes

High precision and smooth ceramic cartridge

REF.

303860270C3

Cold start. Greater ecological savings
Saves up to 60% compared to standard single lever mixer

Without pop-up waste

Washbasin Mixer L

Anti-scale aerator

Chrome


Without pop-up waste

Washbasin Mixer XL

Anti-scale aerator
3/8" flexible inlet pipes

Finish

Chrome



<u>G3/8</u> G1/2

G3/8 G1/2





Bidet Mixer Flow limiter to 5l/min

Swivel ball ioint

Without pop-up waste

Chrome

Bath/shower Mixer

- Anti-scale aerator Noise reducer in eccentrics
- and flexible hose

REF.

REF

REF

R899501



Chrome

Shower Mixer

- Noise reducer in S-connectors With shower set (1 function hand shower with anti-scale system, wall support and flexible hose) R899501

Chrome

- 2 way concealed mixer
- Built-in part included Ultraslim plate
- High precision and smooth ceramic cartridge
- Ceramic diverter
 Without shower set
- P

RFF 30171020C3

1 way concealed mixer

- Built-in part included
 Ultraslim plate
- $\boldsymbol{\cdot}$ High precision and smooth ceramic cartridge
- Ceramic diverter
- Without shower set
- P Finish
 - RFF













Chrome

Ideal for BREEAM and LEED projects

1/2" adapter
High precision and smooth ceramic cartridge




















P

Chrome

RFF

- Flow limiter to 5L/min
 Saves up to 60% compared to standard single lever mixer
- RFF 303660270C3
- Three hole deck bath shower mixer
- Anti-scale aerator
- Without pop-up waste














hni



Finish Chrome




- Chrome
- 30241020C3



DESSIN










Single lever shower system

- Shower mixer with upper outlet
 Automatic diverter
 Adjustable round telescopic rail:

 Min. height: 820 mm
 Max. height: 1330 mm

 Shower head Ø246 mm with anti-scale system
 1 function hand shower with anti-scale system
 High quality 1.5 m flexible shower hose
 Sliding shower holder



Finish Chrome REF. 30298020C3



INNOVAT

Electronic taps, practical and functional.



SPECIAL TAPS






INNOVAT BASIC electronic washbasin tap

- 6V batteries included
 Anti-waste filters

- Check valve
 Working pressure : 0.1-0.6 MPa
 Anti-scale aerator (7.5-9L/min)
 Actual size of aerator: M24x1
- With outer electromagnetic box (6V model)
- Water flow stops automatically after 5 min of continuous use Washing sensor indicates low energy level of battery (6V model)
- Water flow stops automatically when battery is depleted
 Flow limiter to 5L/min
- Flexible 3/8" inlet pipes
- Parameters can be configured using remote control





Gerontological washbasin tap

- Medical handle
 Water flow limiter 5 L/min
- Anti-scale aerator
 3/8" flexible input pipes
 - Without pop-up waste

Finish REF. 323461750 Chrome

Cold tap washbasin mixer

Equipped with ceramic headpart
360 swivel spouts



Finish Chrome





REF. 753080200 (6V) 7530802F0 (24V)

INNOVAT PLUS electronic washbasin mixer tap

- Electronic mixer tap with integrated temperature control
- Two models: with 6V battery or 24V electrical connection (batteries included)
- Anti-waste filters

Finishes

Chrome

Chrome

Power transformer Remote control

Finishes

Chrome Chrome


- Check valve
 Working pressure 0.1-0.6 MPa
- Anti-scale aerator (5L/min)
 Size of aerator: M24x1
- Electromagnetic valve integrated into body
 Water flow stops automatically after 5 min of continuous use
- Water flow stops automatically when battery is depleted (6V model)
 Washing sensor indicates low level of battery (6V model)
- · In the event of power outage, the magnetic valve closes
- automatically Flexible 3/8" inlet pipes
- Parameters can be configured using remote control

RFF

753090200 (6V)

750350200 750420200

7530902F0 (24V)



UNIVERSE



Universe Pro Shower system

- Ceramic diverter
- Adjustable telescopic rail:
 Min. height: 975 mm

- Adjustable hand shower holder
- 1.5 m reinforced flexible metal shower hose
- Minimum recommended pressure: 1.5 Bar
 Please note that mixer is not included





EASY



- Wand shower mixer
- Max. height: 1150 mm Ice L shower head 250 mm Ice Hand shower 3 functions

- Connecting metal flexible hose (80 cm) between mixer and shower system





· Universal installation system on any non-concealed bath shower


HAND SHOWER







PVD
Finishes Chrome





Sense hand shower 5 functions
Anti-scale system
Ø12.5 cm

Finish

Finish

Chrome

790038500

1 function

Stream hand shower

Anti-scale system
Anti-fingerprint treatment in PVD models

REF

RFF

Chrome

790036900

Duo Air Hand Shower

Bubble aerated spray
 Ø13.5 cm

1 function



Black / Chrome RFF 790038400

Sense hand shower

5 functions
Anti-scale
Ø12.5 cm

Ice Hand shower

3 functions
Anti-scale system • Ø10 cm

Finish

Finish

REF.

-

Chrome

790038600

REF.

Chrome

790037000

Finish



Finish Chrome REF. 790036500

Soller hand shower 1 function Anti-scale system



Finish Black / Chrome REF

HAND SHOWER


790036800

Stylo sport hand shower

Cuadro Duo Hand shower

1 function
 Anti-scale

3 functions
Anti-scale system



Finish Chrome REF. 790038800





Artik hand shower

- Auto cleaning system
 2 functions
 Anti-scale system
 Ø12 cm

Finish Chrome REF 790038700

Stick Hand shower

1 function
Anti-scale system



Finish

Chrome REF. 7900355

Formentera hand shower

- 1 function
 Anti-scale system



Finish Chrome REF. 790038000

HAND SHOWER / SHOWER KIT

Calm sport hand shower

1 function

Anti-scale system



Finish Chrome RFF 790036600

1 function

Stream shower set

Soporte regulable
 1.75 m flexible hose

REF 790056600

79005660G2

79005660N2

79005660B7

Sense hand shower kit

Anti-scale hand shower

Ø12.5 cm
Adjustable support

1.75 m flexible hose


5 functions

79005660G3

Anti-scale hand shower

Anti-fingerprint treatment
 in PVD models











Finish Chrome RFF 790056500

Sense hand shower kit

Soller hand shower kit

1 function

80x80 mm Soller hand shower

Adjustable support
1.75 m antitwist flexible hose

- Hand shower with anti-scale system
- 5 functions
 Ø12.5 cm
- Adjustable support
 1.75 m antitwist flexible hose



Formentera shower kit

 Anti-scale hand shower 1 function Adjustable support
1.75 m anti-twist flexible hose



Finish Chrome RFF

790055300

Sense shower kit with water outlet

- Anti-scale hand shower
 5 functions
- Ø11 cm
 Adjustable support with
- integrated water inlet 1.75 m flexible anti-twist



Finish Black / Chrome REF. 790055900

Soller shower kit with water outlet

- 80x80 mm Soller hand shower
- 1 function
- Soller adjustable support
 1.75 m flexible anti-twist hose

Finish Black / Chrome REF. 790055800

Itaca shower kit

- Function selection buttons Anti-scale hand shower
- 3 functions
 Ø11 cm
- Adjustable support
 1.75 m anti-twist flexible hose

Finish Chrome REF. 790056200













Itaca shower kit with water outlet

- Function selection buttons
 Anti-scale hand shower

- 3 functions
 Ø11 cm
 Adjustable support with
- integrated water inlet 1.7 m flexible anti-twist hose

Finish

Chrome RFF 790056300

Sense shower kit with water

outlet

- Anti-scale hand shower
 5 functions

- Ø11 cm
 Adjustable support with integrated water inlet
 1.75 m flexible anti-twist

Finish

Chrome

REF. 790056100

Formentera shower kit with water outlet

- Anti-scale hand shower
- 1 function
- Adjustable support with integrated water inlet
 1.75 m flexible metal hose



Finish Chrome REF. 790055400



HEAD SHOWERS



SPA Built-in rectangular head shower

AISI 304 stainless steel
2 functions: cascade and rainfall
Anti-scale
700x380 mm

Finish Polished steel 790067400



Spa wall mounted head shower

Metallic and ABS
2 functions: rainfall and water curtain
Wall mounted connection box
Water-saving function
For built-in installations
593 x 235 x 17 mm
Anti-scale

Finish Chrome REF.

- 790067200



Finish

Polished steel REF

790067500



Spa built in chromotherapy multifunction head shower

AISI 304 stainless steel
4 function shower
LED lighting
Water-resistant lighting remote control
Recommended thermostatic mixer: 780240200
Anti-scale
950 x 950 mm


SPA wall mounted head shower

- Metallic and ABS
 2 functions: rainfall and water curtain
 Wall mounted connection box
 Water-saving function
 For built-in installations
 593 x 235 x 17 mm
 Anti-scale

Finish Chrome **REF.** 790067300

HEAD SHOWERS

HEAD SHOWERS





SHOWER SET AND SLIDING BARS



Ocean head shower 1 function
Ø70 mm
Anti-scale
Includes swivel joint

Finish Chrome REF 7900651



Stylo sport shower set Ø25 mm, 60 cm Baltic sliding bar
Style sport 3 function anti-scale

hand shower • 1.75 m flexible metal hose Soap dish
Adjustable shower support



Baltic XL sliding bar

- Ø25 mm
 95 cm long
 Soap dish
 Height adjustable upper support ideal for reforms
 Adjustable shower support





Bavaro head shower

- 1 function
 Ø70 mm
 Anti-scale
 Includes swivel joint
 Includes shower arm

Finish Chrome REF. 790080200



Baltic sport shower set

- Ø25 mm, 60 cm Baltic sliding bar
 Calm Sport 1 function anti-scale
- handle
 1.75 m flexible metal hose
 Soap dish
 Adjustable shower support

Finish

Chrome

REF. 790026700

Baltic Sliding bar

- Ø25 mm
 60 cm long
 Soap dish
 Height adjustable upper support ideal for reforms
 Adjustable shower support






SHOWER ACCESSORIES

SHOWER ACCESSORIES

7900451




114 | SHOWERS

REF

790055200

Chrome REF 790045500

SHOWER ACCESSORIES





POP-UP WASTE

Feature enabling automatic wastewater disposal by pressing once on lid

No lift rod required

RFF

Finish

REF

REF

Finish

White



Quick square pop-up waste

- Brass pop-up waste
 Easy manual open-close system
- No lift rod required No overflow
- On touch spring action G 1 1/4

Finish Chrome RFF 1107200 IDEM, without overflow

Finish Chrome

RF

1107100



American Pop- Up waste

Finish Chrome REF 1107600

Accesory tail for American pop-up

• Ø31.7 mm

Finish

Chrome RFF

1051000

POP-UP WASTE + BLACK CERAMIC PLUG



Finish Black REF. 1108900

CERAMIC SANITARY WARE

FORMENTERA	122
NEXOS	124
MANACOR	126
INCA	128
GLORIA Brand new!	129
DESSIN Brand new!	130
PUSHBUTTONS	133
BUILT-IN TOILET FLUSH TANKS & INSTALLATION SYSTEM	134



CERAMIC TOILETS AND BASINS

Ceramic has always played a key role in the history of mankind. At Strohm Teka we have molded this timeless material to suit every taste.



Soft close No need to remember to close the toilet seat. A gentle push of the lid after use will close it gently and silently.



Dual System: wall or floor Strohm Teka toilets work for both wall and floor downpipes.



Saving water We are committed to our planet and to saving water. Products sporting these labels help reduce water consumption.



Easy to clean The high quality white ceramic with double enable coating for greater resistance makes our products easier to clean.



Rimless design Most of our toilet bowls are rimlesss, making cleaning and maintenance so much easier.






FORMENTERA




BTW WC

- Top quality ceramic
 Full pack: Two piece WC
- Compact
 Compact
 Measurements: 60.5x34x81 cm
 Back to wall (BTW) with dual outlet
 Vertical 100-250 mm
- Horizontal 180 mm
- Easy to clean Rimless technology
 Dual flush 3/6L (eco-savings)

- Bottom entry fill tank
 Mounting kit
 Ultraslim UF seat and lid with soft close system





FORMENTERA

.

Pedestal basin

Top quality ceramic
Easy to clean
60 cm (washbasin)
With overflow
Tap not included



. ju Finish

REF.


White

Wall Hung basin

- Wall hung basin Top quality ceramic
 Easy to clean
 56x44x39 cm
- With overflow
 Tap not included

1





REF

700300200

Finish

White

Floor bidet

Top quality ceramic



White



- Top quality ceramic
 Easy to clean Rimless technology
 Flush: 4.5/3 L (eco-savings)
 Can be used with built-in tanks or flush valves
 Concealed mounting system
 Ultraslim UF seat and lid with soft close system

REF. 117350000



117320000

White

Wall Hung bidet Top quality ceramic
Easy to clean
Tap not included

. Ju Finish


White





122 | CERAMIC SANITARY WARE












310





















NEXOS



NEXOS





75



Basin 61cm Ceramic
With overflow
Easy to clean
Tap not included



Finish REF. White B661500261 Pedestal Finish REF.

ũ.



Basin • 61cm Ceramic

White

. Ju

With overflow
Easy to clean
Tap not included



P



	 Top of Easy Flush Can Cono Ultration



124 | CERAMIC SANITARY WARE



BTW WC

Mounting kit

REF.

REF. 117350001

117330000

Finish

White

..... Finish

White

Wall Hung WC

Floor bidet

Top quality ceramic


Easy to clean
Back to wall
Tap not included

















. 14	
Finish	REF.
White	B6615
Half pedestal	
Finish	REF.
White	B6610





500261

MANACOR





BTW WC	
 Top quality ceramic 	

- Full pack: Two piece WC
- Compact
 Measurements: 61.5x36x81 cm
- Back to wall (BTW) with dual outlet Vertical 80-240 mm
- Horizontal 180 mm

- Bottonical tables technology
 Dual flush 3/6L (eco-savings)
 Bottom side entry fill tank on both sides
 Possibility of concealed upper back entry (additional valve required)
- Mounting kit Ultraslim UF seat and lid with soft close system



.

Wall Hung bidet

 Top quality ceramic
 Easy to clean Back to wall Tap not included



White Manacor 55cm ceramic basin

- 55cm Ceramic
- With overflow
 Easy to clean
- Tap not included

REF.


187360002







Easy to clean
 Back to wall
 Tap not included





. jll Finish

White



- Top quality ceramic
 Full pack: Two piece WC
- Compact
 Measurements: 65x36x88 cm
- Back to wall (BTW) with dual outlet Vertical 145-250 mm Horizontal 180 mm
- Easy to clean Rimless technology
 Dual flush 3/4.5L (eco-savings)
- Bottom side entry fill tank on both sides
 Possibility of concealed upper back entry (additional valve required)
- Mounting kit
 Ultraslim UF seat and lid with soft close system


REF.

117350002



White

117320002





. Ju Finish Whi


FINISN	KEF.
White	B84150025
Pedestal	
Finish	REF.
White	B84103020


Semipedestal basin

Top quality ceramic
Easy to clean
55 cm basin With overflow


- Tap not included
- -Basin and semipedestal basin included








255
















BTW WC Inca One piece

One piece WC
Oue piece WC
CuPC certified
Gravity flush
Vertical syphon outlet at 300 mm
Enamel concealed syphon
Elongated toilet bowl
Measurements: 665x360x740 mm
Ecological savings: Half flush of 3.6 litres and full flush under 6 litres
Durable and highly efficient valves: 60.000 half flushes
Includes soft close system
Includes full mounting kit






	Includes full mountin		
	3/6 LITRES Finish White	REF. 700320200	
)	Floor bidet • Top quality ceramic • Easy to clean • Back to wall • Tap not included		
	Finish White	REF. 117350003	
	Basin • Ceramic • With overflow • Easy to clean • 52 cm washbasin • Tap not included		
	Finish White Pedestal Finish	REF. B531500253 REF.	



White



205 . 300

355



Inca semipedestal basin

Ceramic
With overflow
Easy to clean 52 cm washbasin
Semi-pedestal included

.<u>j</u>u Finish White

REF. B531520252

GLORIA

Brand new!

BTW WC

- Top quality ceramic
 Enables replacement of current WC with no construction work
 Measurements:650x770x340mm
- Vertical: 80-250mm Horizontal: 180mm
- Rimless technology
 Dual flush 3/6L
- Dual fush 3/6L
 Bottom side entry fill tank on both sides (left or right)
 Ultraslim UF seat and lid with soft close system

Brand new!

(3


REF Finish 700350200


White


Floor bidet Easy to clean
 Top quality ceramic

> . Ju Finish White

REF. 187360003









DESSIN



BTW WC	
 Top quality ceram 	i,

- Top quality ceramic
 Full pack: Two piece WC
- Compact
 Compact
 Measurements: 62x36.5x82 cm
 Back to Wall (BTW) with dual outlet
 Vertical 100-250 mm
- Horizontal 180 mm

2.6/4 LITRES

REF.


700360200

Finish

White

Floor bidet Top quality ceramic Easy to clean
 Back to wall
 Tap not included

- Forizontal 180 mm
 Easy to clean Rimless technology
 Dual flush 2.6/4L (highly efficient and extra eco-savings)
 Ideal for BREEAM and LEED projects• Lower side water entry on both sides
- Mounting kit
 Ultraslim UF seat and lid with soft close system



140





Floor-standing toilet

White



Top quality ceramic
Easy to clean
Back to wall
Tap not included



REF. 706060200









. **J** Finish

White


- Top quality ceramic
 Easy to clean Rimless technology
 Dual flush 2.6/4L (highly efficient and extra eco-savings)

 Can be used with built-in cisterns or flushes
 Concealed mounting system
 Ultraslim UF seat and lid with soft close system


REF. 706050200

2.6/4









WC ACCESSORIES



Connector S trap
· Ultraslim UF high resistance seat and lid with soft close system

REF. 720050007

Up to 100,• Works with Formentera non-compact floor mounted WCs and other square models of any brand

· Soft-close system with a useful life of over 100,000 cycles

REF.

720064900

Soft-close system with a useful life of over 100,000 cycles

REF.

• A single reference for all side and bottom entry WCs

720064800

Long brass 3/8" thread that can even be installed in older WCs
 More silent and resistant to pressure surges due to rubber reducer

Built-in filter that can be cleaned without dismounting inlet pipe
 Fast regulation system with no need for tools

Works with Inca, Manacor, Nexoas and other brand rounded models

Finish

White

Cuadro Universal Seat

Slim design
Made of UF (Urea 131.5 Thermoset)

Made in Europe 000 open and close cycles

Crack and scratch resistant
 No colour variation over time

Rondo Universal Seat

of floor mounted WCs • D-shaped seat

3 year warranty
Made in Europe

Finish

White

Silent close

Crack and scratch resistant

No colour variation over time

Tank filling valve – univ. use


Slim design
 Made of UF (Urea 131.5 Thermoset)

D-shaped seat

3 year warranty

Finish

White



⊷155 →

-220

271

360

⊷155 →

423 8.5-447

436 1,5 - 460

FLUSH PLATES

Strohm Flush Plate 70

 ABS flush plate Ultraslim plate Button divided into half flush or full flush
Can be installed in any Strohm Teka built-in tank.



REF. 73500070W 73500070N

Strohm Flush Plate 20 ABS push plate

Push button divided into half flush and full flush For installation with any Strohm Teka built-in tank







Univ. Dual flush valve


- Dual flush mechanical action valve
- Can be used with most popular WCs without dismounting tank
 For all other WCs it is a universal system for models with a flush
- button of 16 and 50 mm Laboratory tested flush system with all kinds of water

REF.

720065500

- Up to 250.000 cycles guaranteed.
 Slide and clip height adjustable overflow from 22 cm to 34 cm
- · Enables practical and effective adjustment of overflow in all manner
- oftanks
- Anti-flooding overflow draining up to 20 L per minute
- 5 year warranty
 Made in Europe

REF. 720065400



-220 280 368



Finishes REF. Chrome 735000300 Matt Chrome 735000200

Strohm Flush Plate 80

 ABS push plate Ultraslim plate Push button divided into half flush and full flush \cdot For installation with any Strohm Teka built-in tank



REF. 73500080PC 73500080CM 73500080W 73500080N


Strohm Flush Plate 60

Stainless Steel flush plate Button divided into half flush or full flush




Finish Stainless Steel


REF 735000600



BUILT-IN TOILET FLUSH TANKS & INSTALLATION SYSTEM







BUILT-IN TOILET FLUSH TANKS & INSTALLATION SYSTEM

Tekmodul SLIM 2

- Installation depth: 84 mm Includes dual flush 3-6 litres Made of one single piece to guarantee 100% waterpoof Maximum tank capacity: 9 litres Supports up to 400 kg weight
- WC bolts can be installed at 180 and 230 mm For wall hung WCs in all manner of walls
- Prevents condensation
 Upper back or side water supply
- Adjustable button depth: 20-60 mm
- Adjustable height: between 0-100 mm No tools needed for maintenance



1

9.0

94

Finish RFF 731100200

White / Black

Tekmodul SLIM 3

- Includes dual flush of 3-6 litres Made of one single piece to guarantee 100% waterpoof
 Maximum tank capacity: 9 litres
- Prevents condensation Upper back or side water supply point
- Adjustable button depth: 20-60 mm
- No tools needed for maintenance Prepared for installation in squatting toilets
- Finish RFF

White 734100200

Structure for wall hung bidet

 For installation of a deck mounted tap · For wall-hung bidets with a connecting pitch of 180 mm or 230 mm Material: powder-coated metal
 Adjustable telescopic feet, range 0–200 mm



0

00

Tekmodul 4

Finish

White / Black

Tekmodul 2

Includes dual 3-6 litre flush

 With WC tablet dispenser No tools needed for maintenance

- For wall hung WC under window or for building a shelf
- (866 mm high) Installation depth of 125 mm adjustable from 20 to 95 mm

731000200

- Includes WC flush tablet dispenser
 Dual adjustable flush independientemente con reserva higiénica
- · For mounting on a supporting wall or drywall
- WC mounting bolts can be installed at 180 and 230 mm
 Adjustable Pies de anclaje ajustables and spring block system,
- ranging from 0 to 200 mm The sliding guide support for the drain connector can be configured
- in eight positions between 0 and 93 mm The polystyrene insulation prevents condensation on the tank
- surface and reduces structure vibration No tools needed for maintenance
- Back/upper water supply
 Single piece tank, guaranteeing 100% waterproof
- Installation of simplified button to avoid penetration of moisture and impurities






Finish

White

Includes dual 3-6 litres system
 Made of one single piece to guarantee 100% waterpoof

REF. 731110200

- Maximum tank capacity: 8 litres
 Prevents condensation
- Upper back or side water supply
 Adjustable depth of button: 20-60 mm
- No tools needed for maintenance
- Prepared for installation in squatting toilets




288

ð














REF





· For mounting onto a support wall or into a plasterboard structure



BATHTUBS

SENSE	138
LAVI	138
ALAIOR	138
INCA	140





BATHTUBS









Sense Free standing bathtub

Easy to clean
Mineral Charge material
177.5x80x56.5 cm
Bathtub pop up waste not included









Lavi Free standing bathtub




Finish


White **REF.** T9111002178

REF. T3111002150

Alaior Free standing bathtub

Easy to clean
 Mineral Charge material
 160x70x57.5 cm
 Bathtub pop up waste not included





Finish White REF. T5511002160

Bathtub Pop-up waste

Finish White REF. 1109000



Finish Iroko Natural REF 790120100

BATHTUBS



Inset Bathtub

Finish • White

- Top quality enamelled steel
 Anti-skid
 Non-porous and anti-bacterial surface
 Resistant to changes in temperature
 Abrasion resistant
 140x70 cm
 Bathtub pop up waste not included



Length (cm)

Width (cm)	120	140	150	160	170
70	SB5312070A	SB5314070A	SB5315070A	SB5316070A	SB5317070A

Bathtub Pop-waste

Finish
Chrome
REF.
1109300
REF.



VANITY UNITS, BASIN & MIRRORS

LAVI Novelty!	146
SENSE	152
SOLLER	162
ΙΤΑϹΑ	178
DESSIN Novelty!	184
INCA	190



FEATURES FOR VANITY UNITS, **MIRRORS AND BASINS**

Strohm vanity units are designed and manufactured in Spain, with different designs to suit every lifestyle.



Soft-close Soft-close Hydraulic buffer hinges on drawer slides to ensure smooth push drawer to open. and silent closing even when slammed shut.



Modular Mix and match different units and side units to create your own ideal bathroom suite.



**>,

Push to open mechanism Magnetic hydraulic system. Gently



Touch System



Water resistant The unit is made with highly water resistant materials.







LAVI

GENERAL CHARACTERISTICS

VANITY UNITS

COUNTERTOP

Matte white solid mineral
 Soild mineral with rounded edges

MATERIALS

Metal structure
 Front panels : PB

OTHER FEATURES

Hettich fittings
Push open system
Full drawer pull-out: 100% access to interior
Soft close mechanism

DRAWER INTERIOR FINISH Anthracite

DIMENSIONS (cm):

Drawers	Depth	Height	W
2	46	85	

FEATURES





VANITY UNIT FINISHES





Matte White

Matte Black / Matte White


Width 90





Matte White

LAVI



90 cm COMPOSITION









90 cm COMPOSITION



REF Description

 1
 F31116995A
 Vanity unit 90 cm white/matte black with white solid mineral basin and countertop

 2
 31366020NA
 Basin tap XL black/Amazon oak

 3
 E31233RAN018
 Lavi Mirror 60x85 cm

LAVI





90 cm COMPOSITION





F	REF	Description
1 F	-31116225A	Vanity unit 90 cm white with white solid mineral basin and countertop
2 3	313660200	Basin tap XL chrome
3 E	31233RAN018	Lavi mirror 60x85 cm

90 cm COMPOSITION





	REF	Description
1	F31125885A	Vanity unit 90 cm white/Amazon oak with semi-inset solid mineral white basin and countertop
2	31386020WA	Basin tap L white/Amazon oak
3	E31233RAN018	Lavi mirror 60x85 cm
	-	

LAVI

Strohm | Teka

90 cm UNIT + SEMI-INSET BASIN WITH COUNTERTOP



2 drawers

90x46x85cm Includes solid mineral countertop Includes semi-inset basin in solid mineral built into 370x45 mm countertop

Finishes REF. F31125885A F31115225A F31115995A Matte White / Amazon Oak Matte White Matte White / Matte Black

90 cm + BASIN WITH COUNTERTOP

REF.

F31126885A

F31116225A

F31116995A



2 drawers 90x46x85cm Solid mineral countertop Includes single standing solid mineral basin 380x150 mm

Finishes Matte White / Amazon Oak Matte White Matte White / Matte Black

For wall mounted taps, unit with no holes can be ordered at no additional cost. Just add letters NH at end of reference.



MIRROR

60x85 cm Reversible IP 44 IP 44 Natural light (4,000 k) Button switch for anti-fog and light Room lighting 20W 60x85 cm

REF. E31233RAN018

VANITY UNIT FINISHES



Matte Black /

Matte White

Matte White

Amazon Oak/ Matte White





GENERAL CHARACTERISTICS

VANITY UNIT

MATERIALS

METAL FITTINGS

MATERIALS

 Structure: MDF Front panels: PB / MDF in
 White finish Always with lacquered sides

Hettich Fittings
 Opens by pushing any area of the drawer

DRAWER INTERIOR FINISH

 Matte White - Grey Nude Wildwood - Wildwood
 Natural Halifax - Natural Halifax

MEASUREMENTS (cm):

Drawers	Depth	Hight	Widt
2	45	45	80
2	45	45	100
4	45	45	120
4	45	45	140
4	45	45	160

FEATURES





VANITY UNIT & SIDE COLUMN FINISHES





Matte White

Wildwood/ Matte White



SIDE COLUMN

Structure: MDF
 Doors: PB

OTHER FEATURES

Reversible
2 doors
Push to open door mechanism

METAL FITTINGS

Fittings with brake system

SIDE COLUMN INTERIOR FINISH

Shelves with same front panel finish

dth

00

20

60






Natural Halifax/ Matte White



80 cm COMPOSITION



REF

1 187100001

2 187240002

3 187130001

4 187250016

5 913460200

REF

1 187100005

2 187240004

3 187130002

4 187250017

5 913460200









100 cm COMPOSITION

Description


Vanity unit Wildwood 80 cm 2 drawers

Side Column Wildwood 160x40x30 cm

Sense Mirror Direct Led Light 80x60 cm

Sense Inset basin-double 80 cm

Sense washbasin mixer



Description

Sense Inset basin 100 cm

Sense washbasin mixer

Vanity unit Natural Halifax 100 cm 2 drawers

Side Column Natural Halifax 160x40x30 cm


Sense Mirror Direct Led Light 100x60 cm





154 | VANITY UNITS, BASIN & MIRRORS


120 cm COMPOSITION





REF	Description
1 187120001	Vanity unit Wildwood 120 cm 4 drawers
2 187240009	Sense Inset basin-double 120 cm
3 187130001	Side Column Wildwood 160x40x30 cm
4 187250018	Sense Mirror Direct Led Light 120x60 cm
5 913460200	Sense washbasin mixer (2)

140 cm COMPOSITION





	REF	Description
1	187120006	Vanity unit Matte white 140 cm 4 drawers
2	187240010	Sense Inset basin-double 140 cm
3	187130000	Side Column Matte white 160x40x30 cm
4	187250019	Sense Mirror Direct Led Light 140x60 cm
5	913460200	Sense washbasin mixer (2)

80 2D

SENSE

VANITY UNIT 80	cm		VANITY UNIT 10	0 cm				VAN
2 drawers 100x45x54 cm			2 drawers 100x45x54 cm				4 drawers for double 120x45x54 cm 2 drawers with syphon cu	
Finishes Matte White Wildwood Natural Halifax	REF. 187100000 187100001 187100002	100 2D	Finishes Matte White Wildwood Natural Halifax	REF. 187100004 187100003 187100005		120 4D	Finishes Matte White Wildwood Natural Halifax	REF. 187120000 187120001 187120002
INSET BASIN 80	cm		INSET BASIN 10	0 cm				
					- 1		-	
ineral Charge Material smooth trical power supply required	REF. 187240049	With LED Thickness 5 cm. Min Cold Led line IP 44 Easy to clean and sr Depth 16 cm Connection to electr	-	REF. 187240050	Cold	ness 5 cm Led line IP 44	Le R	ype REF. eft 187240051 ight 187240052
terial oth 1 page 51	REF. 187240002	Without LED Thickness 1.5 cm Mineral Charge Mate Easy to clean Smoot Find pop-up waste on J	h	REF. 187240004	Easy			ouble 187240052
washbasins are made with 1 hole. , please add NH to final reference; an an integrated washbasin with no Led i ust be removed before installing.		All Sense and Soller wa	ssbasins are made with 1 hole. lease add NH to final reference;	an additional ammount will be	All Se		age 51 Ishbasins are made with 1 ho Ilease add NH to final referen	
MIRROR 80 cm	n		MIRROR 100 c	m				Μ
80x60 cm White cold led line 5 mm thick glass. Anti-fog- Motion sensor (all objects m from the mirror) Metallic frame Reversible IP 44 1.410 lm (13 watts)	System nust be 4 cm away		100x60 cm White cold led line 5 mm thick glass. Anti-fog Motion sensor (all objects from the mirror) Metallic frame Reversible IP 44 1620 lm (15 watts)	g- System must be 4 cm away			120x60 c White cold 5 mm thic Motion see Metallic fr Reversible Anti-fog- IP 44 1840 lm (d led line ck glass nsor (all objects must be rame a System
	REF. 187250016			REF. 187250017				
	SIDE	COLUMN						
Side Column Structure: MDF Doors: PB 2 doors Shelves with same fron Push to open door mec Reversible		Dimensions 160x40x30 cm 160x40x30 cm 160x40x30 cm	Finishes Matte White Wildwood Natural Halifax	REF. 187130000 187130001 187130002			Side Column Structure: MDF Doors: PB 2 doors Shelves with samu Push to open door Reversible	e front panel finish
		VANITY UN	IT & SIDE COLU	JMN FINISHES				
		Matte	e White Wildwoo Matte Wh					

With LED Thickness 5 cm. Mineral Charge Mat Cold Led line IP 44 Easy to clean and smooth Depth 16 cm Connection to electrical power supp

Without LED Thickness 1.5 cm Mineral Charge Material Easy to clean Smooth

Find pop-up waste on page 51 All Sense and Soller washbasins are ma If no hole is required, please add NH to charged per hole. If an integrated wash the top of the unit must be removed bel

MIRROR 80 cm	MIRROR 100 cm	
80x60 cm White cold led line 5 mm thick glass. Anti-fog- System Motion sensor (all objects must be 4 cm away from the mirror) Metallic frame Reversible IP 44 1.410 lm (13 watts)	100x60 cm White cold led line 5 mm thick glass. Anti-fog- Sys Motion sensor (all objects must from the mirror) Metallic frame Reversible IP 44 1620 lm (15 watts)	
REF.		REF.
187250016		187250017

Natural Halifax/ Matte White Matte White

NITY UNIT **120 cm**




4 drawers for left or right inset basin

120x45x54 cm 1 drawer with syphon cut-out

Finishes Matte White Wildwood Natural Halifax

REF.
187120011 187120010 187120009

ET BASIN **120 cm**



Without LED Thickness 1.5 cm Mineral Charge Material Easy to clean and smooth

Type RE	EF.
Right 18	7240007 7240008 7240009

int will be charged per hole.

IRROR 120 cm

be 4 cm away from the mirror)

REF. 187250018

SIDE COLUMN

Dimensions

160x40x30 cm 160x40x30 cm 160x40x30 cm

Finishes Matte White Wildwood Natural Halifax

REF. 187130000 187130001 187130002

VANITY UNIT & SIDE COLUMN FINISHES



Matte White



Wildwood/ Matte White




Natural Halifax/ Matte White

SENSE

IP 44

required

SENSE



Finishe
Matte V Wildwo

туре	R
Left	1
Right	1
Double	1

VANITY UNIT & SIDE COLUMN FINISHES

Natural Halifax/ Matte White







GENERAL **CHARACTERISTICS**

VANITY UNIT

MATERIALS

Front Panels: MDF
Side Panels: PB

METAL FITTINGS Soft close Drawers
Hettich Fittings

DRAWER INTERIOR FINISH • Grey

AUXILIARY UNIT (CM) Depth 45 | Height 56 | Width 60 80 100

SIONS (cr	n):	
Depth	Height	Wi
45	28	60
45	56	60
45	28	80
45	56	80
45	28	10
45	56	10
45	28	60
45	56	60
45	28	80
45	56	80
45	28	10
45	56	10
	Depth 45 45 45 45 45 45 45 45 45 45 45	45 28 45 56 45 28 45 56 45 28 45 56 45 56 45 56 45 28 45 56 45 56 45 56 45 56 45 28 45 56 45 28 45 56 45 28

FEATURES









COUNTERTOP

MATERIALS MDF material
 10 cm thickness

COUNTERTOP DIMENSIONS (CM) Depth 46 | Height 10 | Width 60 80 100 120 140 160 180

idth

50

00

00







Oak Veneer




KITTINO,

· Hettich ·

SOLLER




60 cm COMPOSITION



REF	Description
1 187100017	2 drawers. 60 cm. Matte white
2 187240011	Inset basin. 60 cm
3 187260004	Round Mirror backlit led Ø75 cm
4 853861250	Soller washbasin mixer L



80 cm COMPOSITION



REF

1 187100018

2 187170015

3 187210011

4 187260004

5 853861250

Description

2 drawers. 80 cm. Matte white

Countertop. Oak Veneer. 80 cm

Round Mirror backlit led Ø75 cm

Soller washbasin mixer L

Soller Round countertop basin. 37 cm


KITTIN CO
· Hettich ·
0. ARAJX

SOLLER






120 cm COMPOSITION





	REF	Description
1	187160009	1 drawer 60 cm. Matte white
2	187160006	1 Auxiliary unit with Inner drawer 60 cm Matte White
3	187240018	Inset basin. Left. 120 cm
4	187260004	Round Mirror backlit led Ø75 cm
5	853861250	Soller washbasin mixer L

120 cm COMPOSITION






REF	Description
1 187160012	1 drawer 60 cm without cut-out. Matte White
2 187170017	Countertop. Oak Veneer. 120 cm
3 187210012	Square countertop basin. 37x37 cm
4 117250000	Flat Square Inca Mirror. 60x80 cm
5 853861250	Soller washbasin mixer L

SOLLER



120 cm COMPOSITION





SOLLER

EXAMPLES OF SOLLER COMPOSITIONS





COMPOSITION - 120 cm

187160009 1 drawer with syphon cut-out (60 cm) 187160012 1 drawer without syphon cut-out (60 cm) 187240018 Left inset basin (120 cm) 853861250 Soller washbasin mixer



187100018 2 drawers with syphon cut-out (80 cm)

187160012 1 drawer without syphon cut-out (60 cm)



COMPOSITION - 120 cm

187100017 2 drawers with syphon cut-out (60 cm) 187160012 1 drawer without syphon cut-out (60 cm) 187240018 Left inset basin (120 cm) 853861250 Soller washbasin mixer



140 cm COMPOSITION

Description

2 drawers. 60 cm. Matte white

2 drawers. 60 cm. Matte white

2 Flat Square Inca Mirror. 60x80 cm

Double Inset basin. 120 cm

2 Soller washbasin mixer L

i 🕹 🕹

REF

1 187170011

2 187210013

3 187260004

4 853861250

REF


1 187100017

2 187100017

3 187240020

4 117250000

5 853861250



Description

Countertop. Nebraska. 140 cm

Round Mirror backlit led Ø75 cm

Soller washbasin mixer L

Rectangular countertop basin. 58x37 cm









COMPOSITION - 120 cm

COMPOSITION - 140 cm

187240061 Left inset basin (140 cm)

853861250 Soller washbasin mixer

187170017 Oak Veneer Countertop (120cm) 187160012 1 drawer without syphon cut-out (60 cm) 187210013 Rectangular basin (58x37 cm) 853111250 Soller washbasin mixer

COMPOSITION - 140 cm

187170018 Oak Veneer Countertop (140cm) 187100034 2 drawers without syphon cut-out (80 cm) 187210013 Rectangular basin (58x37 cm) 853111250 Soller washbasin mixer

187240018 Left inset basin (120 cm) 853861250 Soller washbasin mixer



COMPOSITION - 120 cm

187100017 2 drawers with syphon cut-out (60 cm) 187100033 2 drawers without syphon cut-out (60 cm) 187240018 Left inset basin (120 cm) 853861250 Soller washbasin mixer



COMPOSITION - 80 cm


187170001	Oak Veneer Countertop (80cm)
187100018	2 drawers with syphon cut-out (80 cm)
187210013	Rectangular basin (58x37 cm)
853111250	Soller washbasin mixer



COMPOSITION - 160 cm

187170019	Oak Veneer Countertop (160cm)
187100018	2 drawers with syphon cut-out (80 cm)
187100018	2 drawers without syphon cut-out (80 cm)
187210013	2 Rectangular basin (58x37 cm)
853111250	2 Soller washbasin mixer

SOLLER



SOLLER

			VANIT	Y UNIT
100 1D	1 drawer 100x45x28 cm Syphon cut-out WitH Without	Matte White	REF. 187160011 187160014	
	Wallout	Platte White	INSET	BASIN
7]				l N E
This basin model of	pages 174 can only be used with cannot be used with 110 d Soller basins are mad	08600 and 1108900 r	ef. waste syphons. ble is required, add NH	l to referenc
			COUNT	ERTO
			Countertop 100 c 100x46x10 cm	:m
Find countertop su	ipport bracket on page	174		
		COUI	NTERTOP B	ASINS
Rectangular co	ountertop basin		Square Countert	op basin
Material Mineral charge r Ceramic 60x35 d	naterial 58x37 cm	REF. 187210013 3851100261	Material Mineral charge mat Ceramic 40x40 cm	erial 37x3
nd pop-up waste	e on page 174			
			AUX	ILIAR
	IMPORTANT No waste/sypl in auxiliary un		on possible	
	Auxiliary unit 60 cr 50x45x56 cm Duter Drawer + Inner Irawer	Matte White	REF. 187160006	
			VANITY U FINISH	NIT
			Matte Whit	e





2 drawers 100x45x56 cm

Syphon cut-out With Without

Finishes REF. Matte White 187100019 Matte White 187100035

100 cm

Inset Basin 100 cm Mineral Charge Material Easy to Clean Smooth

REF. 187240015

ence; an additional ammount is charged per hole.

100 cm

Nebraska Oak Veneer Matte White

REF. 187170009 187170016 187170002

(FREE STANDING)





REF. x37 cm 187210012 B851100240

Material Mineral charge material Ceramic

Round countertop basin Ø37 cm

REF. 187210011 B851100237

Y UNIT



Auxiliary unit 80 cm 80x45x56 cm Outer Drawer + Inner drawer

Finishes REF. Matte White 187160007

100

Auxiliary unit 100 cm 100x45x56 cm Outer Drawer + Inner drawer

Finishes REF. Matte White 187160008









Matte White

Oak Veneer

Nebraska

SOLLER

VA	NITY UNITS FOR 1	20 cm COM	NPOSITION						VANI	TY UNITS
IMPORTANT The Soller 120 cm comp 2 x 60 vanity units	position comprises	60 1D	1 drawer 60x45x28 cm Syphon cut-out With Without	Finishes Matte White Matte White			3	IMPORTANT The Soller 14 2 vanity units other of 80 c	s: one of 60 o	sition comp cm and the
60 60 60 60 60 60 60 60 60 60	es REF. Vhite 187160006	60 2D	2 drawers 60x45x56 cm Syphon cut-out With Without	Finishes Matte White Matte White			60 1D	1 drawer 60x45x28 cm Syphon cut-ou With Without	Matte Whit	REF. re 187160009 re 187160012
	INSET BAS	5IN 120 cm					60 2D	2 drawers 60x45x56 cmr Syphon cut-ou With	Matte Whit	REF. e 187100017
et Basin 120 cm REF. T eral Charge Material 187240018 v to Clean ooth	Inset Basin 120 cm RIGHT Mineral Charge Material Easy to Clean Smooth	REF. 187240019	Inset Basi DOUBLE Mineral Cha Easy to Cle Smooth	arge Material	REF. 187240020	÷	Does not allow f	Without		e 187100033
orn e/syphons in pages 174 · inset basins can only be used with ref. 1109400 dra			Smooth							INS
asin model cannot be used with 1108600 and 1108 set Sense and Soller basins are made with 1 hole. If	no hole is required, add NH to refe	FOP 120 cm		nole.		i .				
							cothacia 14	0 cm	Composition	DEE
countertop support bracket on page 174	Countertop 120 cm 120x46x10 cm		Finishes Nebraska Oak Veneer Matte White		REF. 187170010 187170017 187170003	LE Mi Ea So Th	is basin model	Material nd Smooth	108600 and 1108900	ref. waste sypho
		NS (FREE S	Nebraska Oak Veneer Matte White		187170010 187170017	LE Mi Ea So So Th All	EFT ineral Charge asy to Clean a aste/syphons in iller inset basin is basin model	Material nd Smooth pages 174 s can only be used with cannot be used with 1	80+60 60+80 h ref. 1109400 drains 108600 and 1108900	187240061 187240043 ref. waste sypho hole is required, a
	120x46x10 cm	NS (FREE S	Nebraska Oak Veneer Matte White		187170010 187170017	LE Mi Ea So So Th All	EFT ineral Charge asy to Clean a aste/syphons in iller inset basins is basin model inset Sense an	Material nd Smooth pages 174 s can only be used with cannot be used with 1	80+60 60+80 h ref. 1109400 drains 108600 and 1108900	187240061 187240043 ref. waste sypho hole is required, a COU
CC	120x46x10 cm	sin	Nebraska Oak Veneer Matte White	untertop basin	187170010 187170017 187170003	LI Mi So So Th All	EFT ineral Charge asy to Clean a aste/syphons in iller inset basins is basin model inset Sense an	Material nd Smooth pages 174 s can only be used with cannot be used with 1	80+60 60+80 h ref. 1109400 drains 108600 and 1108900 ade with 1 hole. If no l	187240061 187240043 ref. waste sypho hole is required, a COU
countertop support bracket on page 174		sin REF.	Nebraska Oak Veneer Matte White TANDING Round cou Material 012 Mineral cha	untertop basin f	187170010 187170017 187170003	LI Mi So So Th All	EFT ineral Charge asy to Clean a aste/syphons in iller inset basins is basin model inset Sense an	Material nd Smooth pages 174 c can only be used with 1 d Soller basins are ma	80+60 60+80 h ref. 1109400 drains 108600 and 1108900 ade with 1 hole. If no i	187240061 187240043 s. ref. waste syphor
CC A Constant of the second s	120x46x10 cm	sin 7x37 cm 1872100 B851100	Nebraska Oak Veneer Matte White TANDING Round cou Material 012 Mineral cha		187170010 187170017 187170003	LI Mi So So Th All	EFT ineral Charge asy to Clean a aste/syphons in iller inset basins is basin model inset Sense an	Material nd Smooth pages 174 c can only be used with 1 d Soller basins are ma	80+60 60+80 h ref. 1109400 drains 108600 and 1108900 ade with 1 hole. If no i	187240061 187240043 ref. waste sypho hole is required, a COUL COUNTERTOP 140x46x10 cr
CC Langular countertop basin terial REF. rerial charge material 58x37 cm 187210013	120x46x10 cm DUNTERTOP BASI Square Countertop ba Material Mineral charge material 3 Ceramic 40x40 cm	sin 7x37 cm 1872100 B851100	Nebraska Oak Veneer Matte White TANDING Round cou Material 012 0240 Mineral cha Ceramic		187170010 187170017 187170003	LL Mi So Th All Fir Fir Mi	EFT ineral Charge asy to Clean a aste/syphons im iller inset basins is basin model inset Sense an ad countertop s ectangular c laterial	Material nd Smooth pages 174 s can only be used with 1 d Soller basins are ma upport bracket on pag ountertop basin material 58x37 cm	80+60 60+80 h ref. 1109400 drains 108600 and 1108900 ade with 1 hole. If no i	187240061 187240043 ref. waste syphon hole is required, a COUL COUNTERTOP 140x46x10 cm

Y UNITS FOR 140 cm COMPOSITION

60	Auxiliary unit 60 cm* 60x45x56 cm Outer Drawer + Inner drawer	Finishes Matte White	
80 1D	1 drawer 80x45x28 cm Syphon cut-out With Without	Finishes Matte White Matte White	187160010
80 2D	2 drawers 80x45x56 cm Syphon cut-out With Without	Finishes Matte White Matte White	187100018
P	Auxiliary unit 80 cm* 80x45x56 cm Outer Drawer + Inner drawer	Finishes Matte White	

80

INSET BASIN 140 cm Inset Basin 140 cm Composition REF. RIGHT Mineral Charge Material Easy to Clean and Smooth 187240062 187240044 80+60 60+80

ref. waste syphons. Iole is required, add NH to reference; an additional ammount is charged per hole.



SOLLER

	VANITY UNITS FOR 1	60 cm COMPOSI	TION	
either two 80cm va	composition comprises anity units or f 100 cm and another	80 2D Sypho With Without Auxiliary	x56 cm Finishes Matte White Matte White Matte White Finishes	
With	FinishesREF.Matte White187160009Matte White187160012	80 drawer	wer + Inner Matte White	187160007
60 2D With	Finishes REF. Matte White 187100017 Matte White 187100033			
Auxiliary unit 60 cm*	Finishes REF. Matte White 187160006	100x4	5x56 cm on cut-out Finishes Matte White	
1 drawer 80x45x28 cm 80 1D Syphon cut-out With	Finishes REF. Matte White 187160010 Matte White 187160013	100x45x56	wer + Inner Matte White	REF. 187160008
	COUNTER	TOP 160 cm		
Find countertop support bracket on page 174	Countertop 160 cm 160x46x10 cm		Finishes Nebraska Oak Veneer Matte White	REF. 187170012 187170019 187170005
	COUNTERTOP BASI	NS (FREE STAND	ING)	
Rectangular countertop basinMaterialREF.Mineral charge material 58x37 cm187210Ceramic 60x35 cm885110		REF.	Round countertop basin Material Mineral charge material Ceramic	Ø37 cm REF. 187210011 B851100237
	VANITY UNIT FINISH	r counte Finishe		
	Matte White	Matte Wh	ite Oak Veneer	Nebraska

		VANIT	Y UNITS FOR 1	80 cm COI	MPOSITION		
ŝ	IMPORTANT Soller 180 cm alw a countertop	ays comp	rises	80 2D	2 drawers 80x45x56 cm Syphon cut-out With Without	Finishes Matte White Matte White	
60 1D	1 drawer 60x45x28 cm Syphon cut-out	Finishes	REF.	80	Auxiliary unit 80 cm* 80x45x56 cm Outer Drawer + Inner drawer	Finishes Matte White	REF. 187160007
	With Without	Matte White Matte White		P	1 drawer 100x45x28 cm		
	2 drawers 60x45x56 cmr Syphon cut-out	Finishes	REF.	100 1D	Syphon cut-out WitH Without	Finishes Matte White Matte White	
60 2D	With Without	Matte White Matte White			2 drawers 100x45x56 cm		
	Auxiliary unit 60 cm* 60x45x56 cm Outer Drawer + Inner drawer	Finishes Matte White	REF. 187160006	100 2D	Syphon cut-out With Without	Finishes Matte White Matte White	
60	1 drawer 80x45x28 cm Syphon cut-out With	Finishes Matte White		100	Auxiliary unit 100 cm 100x45x56 cm Outer Drawer + Inner drawer	Finishes Matte White	REF. 187160008
	Without	Matte White			for waste/syphon installation		
			COUNTER	10P 180 CI	n		
Find countertop	support bracket on page 174		Countertop 120 cm 180x46x10 cm		Finishes Nebraska Oak Veneer Matte White		REF. 187170013 187170020 187170006
		COUN	ITERTOP BASI	NS (FREE S	STANDING)		
)					



Square Countertop basin

REF.

Material Mineral charge material 58x37 cm 187210013 Ceramic 60x35 cm B851100261 Mineral charge material 37x37 cm 187210012 Ceramic 40x40 cm B851100240

> VANITY UNIT FINISH



Matte White

172 | VANITY UNITS, BASIN & MIRRORS





Round countertop basin Ø37 cm

REF.

Material Mineral charge material Ceramic

REF. 187210011 B851100237



Matte White

Oak Veneer



Nebraska

	ROUND MIRRORS			
	LED - Round mirror Back- lit Led Cold Led IP 44	Dimensions Ø75 Ø90	REF. 187260004 187260006	
	RECTANGULAR MIRROR	S		
	LED Rectangular mirror White led line (backlit led mirror) 5 mm thick glass Reversible Touch system 60x80 cm - 1410 lm (13 watts) 90x80 cm - 1680 lm (15.5 watts) 100x80 cm - 1840lm (17 watts)	Rectangular mirror 5 mm thick glass		
	DimensionsREF.60x80 cm18725001190x80 cm187250013100x80 cm187250014	Dimensions 60x80 cm 90x80 cm 100x80 cm	REF. 117250000 187250020 187250021	
	ACCESSORIES			
	Minimalist Stainless Steel Syphon Stainless steel 304 Grip points for easy installation without tools With lateral pipe connection Inspectionable body With double "O" ring and no ferrule		REF. 1106100	
	POP-UP WASTE for Mineral charge models This model cannot be used with Soller inset model	COLOR White Black	REF. 1108600 1108900	
	Brass automatic POP-UP WASTE This model cannot be used with Soller inset model	COLOR Chrome	REF. 1107000	
\mathbf{R}	Brass automatic POP-UP WASTE Exclusively for Soller Inset Basin	COLOR Chrome	REF. 1109400	

bracket is required if your countertop is bigger than 160 cm.



Countertop suppo Length 420mm	ort brac	ket sel	: (2 pie	ces). For	counterto	ops small	er than	160 cm	

Countertop support bracket set (3 pieces)). For countertops bigger than 160 cm Length 420mm **REF.** R1086100

REF. R1085300









ITACA

GENERAL CHARACTERISTICS

VANITY UNIT

MATERIALS Side Panels PB material Metal frame
 Reversible

METAL FITTINGS • Opens by pushing in any area of the drawer • Hettich Fittings

DRAWER INTERIOR FINISH

Walnut/Black - Walnut
Matt White/Chrome - Nude Grey

•PB

MEASUREMENTS (cm): Depth Height Drawer 45 1

Width 80 42,5 45 42,5 100

FEATURES



1



VANITY UNIT & SIDE COLUMN FINISHES









SIDE COLUMN

MATERIALS

METAL FITTINGS

Fittings with brake

OTHER FEATURES Push to Open Mechanism
1 door

SIDE COLUMN INTERIOR FINISH


Same colour of the exterior



ITACA



80 cm COMPOSITION



Description

Vanity unit Walnut/Black. 80x45x45 cm

Side Column Walnut/Black. 80x35x27 cm

Itaca Countertop basin. 38 cm

Itaca washbasin mixer XL

Triangular Itaca Mirror. 79x57 cm

REF

1 187160001

2 187210000

3 187130004


4 187260007

5 673660200



Strohm | Teka

ITACA





White led line (backlit led mirror) 5 mm thick glass One standard size

VANITY UNIT 100 cm

1 drawer 100x45x45 cm

Walnut - Black

REF. 187160003

Countertop basin Easy to clean Smooth Exclusive design

DIMENSIONS 40x40 cm

REF. 187210005

Acabado Walnut - Black Walnut - Black

REF. 187130004 187130013

MIRROR


DIMENSIONS 79x57 cm

REF. 187260007

VANITY UNIT & SIDE COLUMN FINISHES



Walnut - Black









DESSIN

GENERAL CHARACTERISTICS

VANITY UNIT

MATERIALS • PB 16mm

OTHER FEATURES

Drawer with metal slides
Full pull-out drawer
Black aluminium handle

DIMENSIONS (cm):

Drawers	Depth	Height	Wid
2	45	52	60
2	45	52	80
2	45	52	100

FEATURES





VANITY UNIT FINISHES



Matte white/ black

Romance Oak/ Black

idth


0



DESSIN



80 cm COMPOSITION



	REF	Description
	1 F30110224A	Dessin Unit 80 cm. 2 drawers. Matte white
	2 702300200	Ceramic basin 81x46x16 cm
	3 187250020	Mirror 80x80 cm
-	4 303860270C3	Dessin basin single mixer tap
-		-



80 cm COMPOSITION




REF	Description
1 F30120774A	Dessin Unit 80 cm. 2 drawers. Romance oak
2 702300200	Ceramic basin 81x46x16 cm
3 187250020	Mirror 80x80 cm
4 303860270C3	Dessin basin single mixer tap



DESSIN

DESSIN



FINISHES



Matte White / Romance Oak / Black Black

FINISHES



Matte White / Black



Romance Oak / Black



INCA

GENERAL CHARACTERISTICS

VANITY UNIT

MATERIALS

OTHER FEATURES

Aluminium handle
10 cm legs (for 3 drawer models)

DRAWER INTERIOR FINISH

۰PB

• Grey

MATERIALS ۰PB

2 doors
Reversible

• White

DIMENSIONS (cm):

Drawers	Depth	Height	Wio
2	45	60	60
2	45	60	80
2	45	60	100
3	45	80	60
3	45	80	80
3	45	80	10

FEATURES



VANITY UNIT FINISHES



Glossy White Glossy Graphite Denver Oak



SIDE COLUMN

OTHER FEATURES

SIDE COLUMN INTERIOR FINISH

idth

0

nn










Titanium Oak

INCA



60 cm COMPOSITION



REF	Description
1 187150001	Vanity unit 60 cm. 2 drawers. Glossy White
2 117240000	Inca Inset Ceramic basin 61x46x16 cm
3 187250008	Double Side Led Mirror 60x80 cm
4 187130008	Side Column 160x40x30 cm. Glossy White
5 5334612	Inca wasbasin mixer



80 cm COMPOSITION



	REF	Description
1	1 187110008	Vanity unit 80 cm. 3 drawers. Glossy Graphite
2	2 702300200	Inca Inset Ceramic basin. 81x46x16 cm
1	3 187250010	Inca Double Side led mirror 80x80 cm
4	4 187130009	Side Column 160x40x30 cm. Glossy Graphite
5	5 5334612	Inca wasbasin mixer
	-	-


INCA

Strohm | Teka






100 cm COMPOSITION



R	REF	Description
1 1	.87100032	Vanity unit 100 cm. 2 drawers. Denver Oak
	17240001	Inca Inset Ceramic basin 101x46x16 cm
	87250021	Inca Mirror 100x80 cm
4 1	87140002	Side Column 160x40x30 cm. Denver Oak
5 5	334612	Inca wasbasin mixer

80 cm COMPOSITION





	REF	Description
1	187110021	Vanity unit 80 cm. 2 drawers. Titanium Oak
2	702300200	Inca Inset Ceramic basin. 81x46x16 cm
3	187250020	Inca Mirror 80x80 cm
4	187130014	Side Column 160x40x30cm Titanium Oak
5	5334612	Inca wasbasin mixer
	-	

INCA



Strohm | Teka







VANITY UNIT & SIDE COLUMN FINISHES

80x80 cm

80 cm Mirror

Square mirror

80x80 cm

5 cm thickness

187250010

REF.

187250020



60x80 cm

60 cm Mirror

5 cm thickness

DIMENSIONS

60x80 cm

Rectangular Mirror

187250008

REF.

117250000

Strohm | Teka

SIDE COLUMN



PB material 2 doors Column interior in white Reversible

Side column

160x40x30cm

Finishes

Glossy White Glossy Graphite Denver Oak Titanium Oak

VANITY UNIT & SIDE COLUMN FINISHES







Glossy White Glossy Graphite

Denver Oak



COMBOS EN KIT

Purchase unit, washbasin, mirror and wall lights under one single reference.



60 cm

INCA COMBO IN KIT-2D 60 cm Glossy White REF 188330078 Included Inca Kit bath cabinet 60 cm-Glossy white Mirror 60x80 cm Led lamp 16 cm (110V) Ceramic inset basin 61x46 cm

INCA COMBO IN KIT-2D 60 cm Glossy White REF 188330067

Inca Kit bath cabinet 60cm-Glossy white Mirror 60x80 cm Led lamp 18 cm (220V) Ceramic inset basin 61x46 cm

80 cm

INCA COMBO IN KIT-2D 80 cm Glossy White REF 188330079 Included Inca Kit bath cabinet 80 cm-Glossy white Mirror 80x80 cm Led lamp 16 cm (110V) Ceramic inset basin 81x46 cm

INCA COMBO IN KIT-2D 80 cm Glossy White REF 188330068 Included

Inca Kit bath cabinet 80 cm-Glossy white Mirror 80x80 cm Led lamp 18 cm (220V) Ceramic inset basin 81x46 cm

60 cm

60 cm

REF

Included

Glossy Graphite

INCA COMBO IN KIT-2D 60 cm

188330089

Inca Kit bath cabinet 60 cm-Glossy Graphite Mirror 60x80 cm Led lamp 18 cm (110V) Ceramic inset basin 61x46 cm

INCA COMBO IN KIT-2D 60 cm Denver Oak REF 188330080 Included

Inca Kit bath cabinet 60 cm-Denver Oak Mirror 60x80 cm Led lamp 16 cm (110V) Ceramic inset basin 61x46 cm



INCA COMBO IN KIT-2D 80 cm Denver Oak

80 cm

REF 188330081 Included Inca Kit bath cabinet 80 cm-Denver Oak Mirror 80x80 cm Led lamp 16 cm (110V) Ceramic inset basin 81x46 cm




1 Land

80 cm

INCA COMBO IN KIT-2D 80 cm Glossy Graphite

REF 188330086 Included

Inca Kit bath cabinet 80 cm-Glossy Graphite Mirror 80x80 cm Led lamp 18 cm (110V) Ceramic inset basin 81x46 cm





MIRRORS & LIGHTS DIFFERENT SHAPES AND STYLES TO SUIT EVERY TASTE


Our mirrors and leds with cold led lines: reflecting and illuminating you in an environmentally-friendly way.



Touch System Switch mirror lights on and off by touching the glass.



MIRRORS & LIGHTS



SENSE

LAVI

Reversible
IP 44
Natural lifht (4,000 k)
Button switch for anti-fog and light
Room lighting
20W
60x85 cm
220V

 Metallic Frame
 IP 44 IP 44
Motion Sensor
Reversible
Anti-fog System
220V



Strohm | Teka

REF. 100x60 cm 187250017

REF. 120x60 cm 187250018


REF. 140x60 cm 187250019


REF.


E31233RAN018

Idem. Special size. Does not match photograph. REF. 160x45 cm 187250022


MIRRORS & LIGHTS











ITACA Backlit led light IP 44 Anti-fog 79x57 cm 220V

REF. 187260007

200 | MIRRORS & LIGHTS

FORMENTERA

- Backlit led light
 IP 44
 Touch system
 Reversible
 220V



REF. 60x80 cm 187250011

REF. 80x80 cm 187250013

REF. 100x80 cm 187250014

SOLLER

- Backlit led light
 IP 44
 Anti-fog
 220V



REF. Ø90 cm 187260006

SOLLER

- Direct led light mirror
 Lit up frame
 IP 44
- Touch System



REF. Ø75 cm 187260005

INCA PRO


- Double side led
 IP 44
 Touch System
 220V



REF. 60x80 cm 187250008

REF. 80x80 cm 187250010

MIRRORS & LIGHTS



INCA PRO

Upper Led
Front light
IP 44
Touch System
220 V

INCA • Upper Led • Front light • IP 44 • Touch System • Anti-fog • 220V

INCA Reversible
 5 mm thickness



INCA LAMP

IP 44
Can be fitted over mirror or over frame
220V



×. REF. 60x80 cm 187250003

Strohm | Teka

REF. 80x80 cm 187250005

REF. 100x80 cm 187250006



187250000

REF. 80x70 cm 187250001

REF. 100x70 cm 187250002

REF. 60x80 cm 117250000

REF. 80x80 cm 187250020

REF. 100x80 cm 187250021





Universal Lamp

- IP 44
 Can be fitted over mirror or over frame
 100-240V
 28 cm

Finish Chrome REF. 28 cm 187270012

SHOWER ENCLOSURES

SENSE	206
ITACA	214
MANACOR PLUS	228
SINEU	238
INCA	246
TIMOR	248



SENSE DESIGN & SENSATIONS



Ultra-slim stainless steel handle which allows a total opening of the door

The stainless steel finishes ensuring a long lasting product and an ultra smooth sliding door, help turn your shower into a spa



CHARACTERISTICS

- 8 mm thick tempered safety glass
 Minimum frames for easy cleaning, highlighting beauty of shower space
 Strohm Clean special anti-scale system for easy cleaning
 Strong stainless ball bearings
 Magnetic closure with aluminium frame on wall

- for 100% sealed shower space Silent and ultra-smooth sliding door
- 100% use of door
- Made in Spain







Shower height 200 cm

8 mm Glass

Compensatio profile



SENSE



1 FIXED PANEL + SLIDING DOOR

Frontal 1



А

- 8 mm thick tempered safety glass
 Silent and ultra-smooth sliding door
 Strohm Clean special anti-scale system for easy cleaning
 Stainless steel "U" frame. Compensation up to 25 mm per frame
 Stainless steel 20x10 mm bottom guide
 Stainless steel articulated shower arm (30x10 mm tube)
 Strong stainless steel ball bearings
 Height: 200 cm. Maximum height available: 220 cm
 Minimum frames for easy cleaning, highlighting beauty of shower space
 Raised fixed panel for easy drainage/outflow
 Magnetic closure with aluminium frame on wall for 100% sealed shower space
 The ultraslim design of the stainless steel finger pull handle allows for full use of the door opening space
 Made in Spain



*IMPORTANT:

The standard designs include fixed right hand side panel. If fixed left hand side panel is required, please add 'L' at the end of each reference number.



Stainless steel handle



Stainless Steel bearings

MEAS	SUREM	ENTS


(cm)	120	130	140	150	160	170	180	190	200
Ref.	M91011208	M91011308	M91011408	M91011508	M91011608	M91011708	M91011808	M91011908	M91012008





1 FIXED PANEL + 1 SLIDING DOOR + 1 SIDE PANEL

Angular I



- 8 mm thick tempered safety glass
 Silent and ultra-smooth sliding door
 Strohm Clean special anti-scale system for easy cleaning
 Stainless steel "U" frame. Compensation up to 25 mm frame
 Stainless steel 20x10 mm bottom guide
 Stainless steel articulated shower arm (30x10 mm tube)
 Strong stainless steel ball bearings
 Height: 200 cm. Maximum height available: 220 cm
 Minimum frames for easy cleaning, highlighting beauty of shower space
 Raised fixed panel for easy drainage/outflow
 Magnetic closure with aluminium frame on wall for 100% sealed shower space
 The ultraslim design of the stainless steel finger pull handle allows for full use of the door opening space · Made in Spain



*IMPORTANT:

The standard designs include fixed right hand side panel. If fixed left hand side panel is required, please add 'L' at the end of each reference number.

This shower enclosure must be ordered with 2 references from the following chart: SIDE A+ SIDE B



Stainless steel handle



Stainless steel bearings

MEASUREMENTS

(cm)	120	130	140	150	160	170	180	190	200
Ref.	M91011208	M91011308	M91011408	M91011508	M91011608	M91011708	M91011808	M91011908	M91012008

FULL PANEL MEASUREMENTS


(cm)	70	75	80	90	100
Ref.	M91120708	M91120758	M91120808	M91120908	M91121008





1 FIXED PANEL + 1 SLIDING DOOR + 1 FIXED PANEL

Angular II



- 8 mm thick tempered safety glass
 Silent and ultra-smooth sliding door
- Strohm Clean special anti-scale system for easy cleaning
 Stainless steel "U" frame. Compensation up to 30 mm per frame
 Stainless steel 20x10 mm bottom guide
- Stainless steel articulated shower arm (30x10 mm tube) Strong stainless steel ball bearings

- Strong stanless steel ball bearings
 Height: 200 cm. Maximum height available: 220 cm
 Minimum frames for easy cleaning, highlighting beauty of shower space
 Raised fixed panel for easy drainage/outflow
 Magnetic closure with aluminium frame on wall for 100% sealed shower space
 The ultraslim design of the stainless steel finger pull handle allows for full use of the door opening space
- Clear glass
 Made in Spain








Stainless steel handle









ITACA EFFICIENCY **& PRECISION**



90° Opening doors

CHARACTERISTICS

- 6 mm thick tempered safety glass
 Strohm Clean special anti-scale system for easy cleaning
 Gloss stainless steel hinges
 Magnetic closure for 100% sealed shower space
 Bathtub models

- Stainless steel handle
- Door opening range: 90°
 Made in Spain

The Itaca collection features specially designed folding doors with 90° opening



FEATURES

Shower height 195 cm



Bathtub

models



6 mm Glass

Compensation profile





Stainless ste


Agnetic clo

ITACA



1 FOLDING DOOR

Frontal



- 6 mm tempered safety glass
 Special anti-scale glass treatment on both sides
 Height:150 cm
 Stainless steel handle
 Designed for bathtub
 Clear glass
 Stainless steel hinges
 90° opening doors





Stainless steel hinges

(cm)	80	90
Ref.	M67050806	M67050906




ITACA



1 FOLDING DOOR+1 FIXED PANEL

Frontal




- 6 mm tempered safety glass
 Special anti-scale glass treatment on both sides
 Height:150 cm
 Stainless steel handle
 Designed for bathtub
 Clear glass
 Stainless steel hinges
 Door width: 60 cm
 90° opening doors





Articulated clamping arm



Stainless steel hinges

(cm)	100	110	120
Ref.	M67061006	M67061106	M67061206




ITACA



1 FOLDING DOOR

Frontal



- 6 mm tempered safety glass
 Special anti-scale glass treatment on both sides
 Magnetic closure to ensure 100% sealed shower space
 Height:195 cm
 Stainless steel handle
 Clear glass
 Stainless steel hinges
 90° opening doors

*IMPORTANT: Indicate door handle side



Stainless steel hinges

(cm)	70	80	90
Ref.	M67040706	M67040806	M67040906






ITACA



1 FOLDING DOOR+1 FIXED PANEL

Frontal



- 6 mm thick tempered safety glass
 Strohm Clean special anti-scale system for easy cleaning
 Height: 195 cm
 Door width: 60 cm
 Magnetic closure ensuring 100% water-tightness
 Compensation up to 20 mm per profile
 Stainless steel handle
 Articulated support arm
 Gloss stainless steel hinges
 Bottom profile to ensure water tightness
 Door opening range: 90°
 Made in Spain



*IMPORTANT:

Indicate side of fixed panel





Articulated clamping arm

Stainless steel hinges

(cm)	100	120	130	140	160
Ref.	M67071006	M67071206	M67071306	M67071406	M67071606




ITACA



1 FIXED PANEL +1 FOLDING DOOR+ 1 FIXED PANEL

Frontal



- 6 mm tempered safety glass
 Special Strohm Clean anti-scale system for easy cleaning
 Height: 195 cm
 Width of door: 60 cm
 Magnetic closure for 100% sealed shower space
 Compensation up to 25 mm
 Stainless Steel handle
 Articulated clamping arm
 Gloss stainless Steel hinges
 Bottom profile to ensure water tightness
 Door opening range: 90°
 Made in Spain



*IMPORTANT: Indicate side of fixed panel Indicate side of door hinges







Stainless steel hinges

(cm)	140	150	160	170	180	190	200
Ref.	M67081406	M67081506	M67081606	M67081706	M67081806	M67081906	M67082006




ITACA



1 FIXED PANEL +1 FOLDING DOOR

Frontal



- 6 mm thick tempered safety glass
 Strohm Clean special anti-scale system for easy cleaning
 Height: 195 cm
 Door width: 60 cm
 Magnetic closure ensuring 100% water-tightness
 Compensation up to 25 mm
 Stainless steel handle
 Articulated support arm
 Gloss stainless steel hinges
 Bottom profile to ensure water tightness
 Door opening range: 90°
 Made in Spain





Stainless steel hinges

(cm)	120	130	140	150	160
Ref.	M67131206	M67131306	M67131406	M67131506	M67131606



MANACOR PLUS PURE & TIMELESS



Upper twin rollers

CHARACTERISTICS

- 6 mm tempered & safety glass
 Special anti-scale system on both sides
 High glossy Aluminium finish
- Upper twin rollers
 No bottom rail guide

Classical shower enclosure with no bottom guide and magnetic closure for a watertight seal



FEATURES





Shower height 198.5 cm 6 mm glass

Compensation 15 mm




228 | SHOWER ENCLOSURES

MANACOR PLUS



1 FIXED PANEL + SLIDING DOOR

Frontal



- 6 mm thick tempered safety glass
 Strohm Clean special anti-scale system for easy cleaning and installation
 Height: 198.5 cm Maximum height: 210 cm
 Discreet "U" shaped frame in high gloss aluminium
 Compensation up to 15 mm per profile
 Magnetic closure to ensure 100% water-tightness
 Upper ball bearings double tandem
 No bottom guide
 Stainless steel handle
 Made in Spain





Rubber closure

(cm)	100	105	110	115	120	125	130	135	140
Ref.	M84P011006	M84P011056	M84P011106	M84P011156	M84P011206	M84P011256	M84P011306	M84P011356	M84P011406

(cm)	145	150	155	160	165	170	175	180
Ref.	M84P011456	M84P011506	M84P011556	M84P011606	M84P011656	M84P011706	M84P011756	M84P011806




MANACOR PLUS



1 FIXED PANEL+1 SLIDING DOOR+1 SLIDING DOOR+1 FIXED PANEL

Frontal 2



- 6 mm thick tempered safety glass
 Strohm Clean special anti-scale system for easy cleaning and installation
 Height: 198.5 cm Maximum height: 210 cm
 Discreet "U" shaped frame in high gloss aluminium
 Compensation up to 15 mm per profile
 Magnetic closure to ensure 100% water-tightness
 Upper ball bearings double tandem
 No bottom guide
 Stainless steel handle
 Made in Spain





Ergonomic handle

	MEASUREMENTS						
(cm)	140	150	160	170	180	190	200
Ref.	M84P021406	M84P021506	M84P021606	M84P021706	M84P021806	M84P021906	M84P022006




MANACOR PLUS



1 SIDE PANEL + 1 SLIDING DOOR + 1 FIXED PANEL

Angular 1







*IMPORTANT: This screen must be ordered with 2 references, as follow: **REFERENCE A+ REFERENCE B**





(cm)	100	105	110	115	120	125	130	135	140
Ref.	M84P011006	M84P011056	M84P011106	M84P011156	M84P011206	M84P011256	M84P011306	M84P011356	M84P011406

(cm)	145	150	155	160	165	170	175	180
Ref.	M84P011456	M84P011506	M84P011556	M84P011606	M84P011656	M84P011706	M84P011756	M84P011806

FIXED	PANEL MEASURES
-------	----------------

(cm)	70	75	80	90	100
Ref.	M84P120706	M84P120756	M84P120806	M84P120906	M84P121006





MANACOR PLUS



1 FIXED PANEL+ 1 SLIDING DOOR + 1 SLIDING DOOR + 1 FIXED PANEL

Angular 2

А

Ref.



6 mm thick tempered safety glass
Strohm Clean special anti-scale system for easy cleaning and installation
Height: 198.5 cm Maximum height: 210 cm
Discreet "U" sheped frame in high gloss aluminium
Compensation up to 15 mm per frame
Magnetic closure for 100% sealed shower space
Upper ball bearings double tandem
No bottom guide
Stainless steel handle
Made in Snain

- · Made in Spain



*IMPORTANT: This screen must be ordered with 3 references, as follows: **SIDE A + SIDE B + CORNER KIT**

CORNER KIT


M8410KIT







Magnetic closure



	SIDE B	IDE B									
(cm)	70	75	80	90	100	120	140	150	160	170	180
Ref.	M84P100706	M84P100756	M84P100806	M84P100906	M84P101006	M84P101206	M84P101406	M84P101506	M84P101606	M84P101706	M84P101806



SINEU SIMPLICITY & PRACTICALITY

CLASSICALLY DESIGNED SHOWER SCREENS



Ergonomic handle



CHARACTERISTICS

- 6 mm thick tempered safety glass
- 5 mm compensation aluminium profile
 Maximum height 1.95 cm
- Strohm Clean special anti-scale system for easy cleaning and installation Reversible

MEASUREMENTS

(cm)	80	90	100
Ref.	MTIBF080CL6	MTIBF090CL6	MTIBF100CL6

EXTRA ARM

MTIARM1B Ref.



FEATURES



Shower height 195 cm 6 mm Glass



SINEU



Sliding door+ Fixed panel

Frontal



А

6 mm thick tempered safety glass
 5 mm compensation aluminium profile
 Maximum height 1.95 cm
 Strohm Clean special anti-scale system for easy cleaning and installation
 Reversible





Ergonomic handle

(cm)	95-99	100-104	105-109	110-114	115-119	120-124	125-129	130-134	135-139
Ref.	M83011006	M83011056	M83011106	M83011156	M83011206	M83011256	M83011306	M83011356	M83011406
(cm)	140-144	145-149	150-154	155-159	160-164	165-169	170-174	175-179	
Ref.	M83011456	M83011506	M83011556	M83011606	M83011656	M83011706	M83011756	M83011806	




SINEU



1 fixed panel+ 1 sliding door+1 fixed panel

Frontal



6 mm thick tempered safety glass
5 mm compensation aluminium profile
Maximum height 1.95 cm
Strohm Clean special anti-scale system for easy cleaning and installation
Reversible





Ergonomic handle

MEASUREMENTS (SIDE A)

(cm)	95-99	100-104	105-109	110-114	115-119	120-124	125-129	130-134	135-139
Ref.	M83011006	M83011056	M83011106	M83011156	M83011206	M83011256	M83011306	M83011356	M83011406
(cm)	140-144	145-149	150-154	155-159	160-164	165-169	170-174	175-179	
Ref.	M83011456	M83011506	M83011556	M83011606	M83011656	M83011706	M83011756	M83011806	

MEASUREMENTS (SIDE B)

(cm)	65-30	75-80
Ref.	M83120706	M83120806




SINEU



Screen for corner opening

Frontal



6 mm thick tempered safety glass
5 mm compensation aluminium profile
Maximum height 1.95 cm
Strohm Clean special anti-scale system for easy cleaning and installation
Reversible





Ergonomic handle

MEASUREMENTS (SIDE A)

(cm)	65-70	75-80	85-90	95-99	100-104	105-109	110-114	115-119	120-124	125-129
Ref.	M83100706	M83100806	M83100906	M83011006	M83011056	M83011106	M83011156	M83011206	M83011256	M83011306
(cm)	130-134	135-139	140-144	145-149	150-154	155-159	160-164	165-169	170-174	175-179

MEASUREMENTS (SIDE B)


(cm)	65-30	75-80	75-80
Ref.	M83120706	M83120806	M83100906



INCA


FIXED PANEL

Frontal



STROHM CLEAN

Fixed panel
Maximum height 1.95 cm
10 mm thick tempered safety glass
Strohm Clean special anti-scale system for easy cleaning and installation
Aluminium profile





Aluminium arm

(cm)	80	90	100
Ref.	MWI080CL10	MWI090CL10	MWI100CL10

	E
	0
-	



TIMOR



1 FIXED PANEL

Frontal




- Fixed panel
 8 mm Tempered Safety Glass
 Aluminium U-Profile, compensation up to 15 mm
 Black articulated clamping arm (30x10)
 Standard shower height: 195 cm
 Standard bath height: 150 cm
 Reversible glass screen
 Mate finish
 Options: Chrome-black finish
 Special anti-scale glass process on both sides
 This model could be requested with extra arm too





Black Aluminium



EXTRA ARM MTIARM1B



Ref.



Made with digital impression and 700° C thermal treatment vitrified process.

The digital paint is applied on the inner side prior to performance of the Strohm Teka clean process.

SHOWER TRAYS

ICON	254
ICON SLATE	255
INCA	256
DESSIN	257



SHOWER TRAYS

The Strohm Teka extra-flat shower trays are made in Spain using an innovative state-of-the-art blend of the highest quality cross-linked polymers and minerals.

The Gel-Coat PREMIUM coating vastly improves current standards, providing an exceptional non-slip surface that makes Teka Strohm shower trays one of the safest in the market.

Improved resistance to pitting corrosion in chloride environments. Extra Safety, Extra Care.


POLISHED STEEL GRIDS AISI 316:




At Strohm Teka we take care of every last detail to ensure a safe and pleasant shower experience. The grids of our shower trays are made of the highest quality stainless steel (AISI 316) which increases the resistance to general corrosion and high temperatures.

This material, commonly known as 'surgical steel', is used in the medical and pharmaceutical industries for its unparalled safety and corrossion resistance.

EXTRA SAFETY IN SMOOTH AND SLATE





3.5 cm

Cement (C)*

* Colours on demand

TRV VALVE


FINISHES



IMPORTANT If you wish to order a tray in a colour other than white, please replace the letter **W** with that pertaining to the colour you require (B, C, T or G). Maximum delivery time for non-white trays: 4 weeks.

Strohm | Teka

POLISHED STEEL GRIDS AISI 316





Tortora (T)*



Graphite (G)*

T-3 Mini VALVE



• 3 screws • Ø60

Ref. 1107800

ICON



SHOWER TRAY





Icon

- Smooth texture
 Non-slip surface (C3)
 Thickness: 3.5 cm
 AISI 316 grid included (Surgical steel)
 60 mm drain(not included)
- Colours White (W)
 Beige (B)
 Cement (C)
 Tortora (T)
 Graphite (G)

Length (cm)


Width (cm)	120	140	160	180
70	P33L1270W	P33L1470W	P33L1670W	P33L1870W
80	P33L1280W	P33L1480W	P33L1680W	P33L1880W





SHOWER TRAY





Width (cm)	120	140	150	160	170	190
70	P33P1270W	P33P1470W	P33P1570W	P33P1670W	P33P1770W	P33P1970W
80	P33P1280W	P33P1480W	P33P1580W	P33P1680W	P33P1780W	P33P1980W

Icon Slate

- Slate texture
 Non-slip surface (C3)
 Thickness: 3.5 cm
 AISI316 grid included (Surgical steel)
 90 mm drain (not included)

Colours

- White (W)
 Beige (B)
 Cement (C)
 Tortora (T)
 Graphite (G)

Length (cm)

DESSIN




SHOWER TRAY

INCA

(· C3





Inca

Slate texture
Non-slip surface (C3)
Thickness: 3 cm
AISI 316 grid included (Surgical steel
90 mm drain (not included).


Colores White (W)
Graphite (G)

Length (cm)

Width (cm)	80	90	100	110	120	130	140	150	160	170	180	190	200
70	P53P0870W	P53P0970W	P53P1070W	P53P1170W	P53P1270W	P53P1370W	P53P1470W	P53P1570W	P53P1670W	P53P1770W	P53P1870W	P53P1970W	P53P2070W
75	P53P0875W	P53P0975W	P53P1075W	P53P1175W	P53P1275W	P53P1375W	P53P1475W	P53P1575W	P53P1675W	P53P1775W	P53P1875W	P53P1975W	P53P2075W
80	P53P0880W	P53P0980W	P53P1080W	P53P1180W	P53P1280W	P53P1380W	P53P1480W	P53P1580W	P53P1680W	P53P1780W	P53P1880W	P53P1980W	P53P2080W
90	P53P0890W	P53P0990W	P53P1090W	P53P1190W	P53P1290W	P53P1390W	P53P1490W	P53P1590W	P53P1690W	P53P1790W	P53P1890W	P53P1990W	P53P2090W
100	P53P0810W	P53P0910W	P53P1010W	P53P1110W	P53P1210W	P53P1310W	P53P1410W	P53P1510W	P53P1610W	P53P1710W	P53P1810W	P53P1910W	P53P2010W

SHOWER TRAY





Width (cm)	100	120	140	150	160	170
70	P30P1070W	P30P1270W	P30P1470W	P30P1570W	P30P1670W	P30P1770W
80	P30P1080W	P30P1280W	P30P1480W	P30P1580W	P30P1680W	P30P1780W

Dessin

• White (W)

- Slate texture
 Non-Slip surface (C3)
 Thickness :2.5 cm (Ultraslim)
 AISI 316 grid included (surgical steel)
 60 mm drain (not included)

Length (cm)

BATHROOM ACCESSORIES

METALLIC - PVD FINISHES



Chrome Pure Gold Proud Rose Brave Black Loyal Bronze



BATHROOM ACCESSORIES

Finish


Chrome

Towel bar

Metallic
600 mm



	600	
Π		




0



Finish	REF.
Chrome	171000200

REF. 170990200

Robe Hook • Metallic





Finish Chrome



Soap dish Metallic
Glass soap dish



REF.


REF

171010200


171030200

REF. 171020200

> > П










Chrome



Finish Chrome








Finish Chrome

REF. 170980200


BATHROOM ACCESSORIES

BATHROOM ACCESSORIES



BATHROOM ACCESSORIES

BATHROOM ACCESSORIES



BATHROOM ACCESSORIES

BATHROOM ACCESSORIES Tumbler holder with glass Inca Towel bar - Metallic • Glass \sim Ø70 PVD П 10.5 C 170660200 17066020G2 17066020G3 Chrome Pure Gold Proud Rose 1706602002 17066020N2 17066020BZ Finish Brave Black Loyal Bronze Chrome Toilet paper holder with lid Inca Towel bar Metallic PVD Finishes REF. 170720200 17072020G2 Chrome Pure Gold 17072020G3 17072020N2 Proud Rose Finish Brave Black Loyal Bronze 17072020BZ Chrome Toilet paper holder without lid Double robe hook • Metallic **ø**19 PVD **ø**9 Finishes REF. 170710200 Chrome 170710200 17071020G2 17071020G3 17071020N2 17071020BZ CCCCC Pure Gold Proud Rose Brave Black Finish Chrome Loyal Bronze ø15 Toilet paper holder without lid Tumbler holder Metallic \$58 PVD Finishes REF. 170730200 Chrome Pure Gold 17073020G2 Proud Rose 17073020G3 0 Finish 1707302003 17073020N2 17073020BZ Brave Black R Chrome Loyal Bronze Toilet brush and holder Toilet paper holder Metallic
 Secure template glass Ø16 10.5 \$83 \$58 PVD 111 Ø115 Finishes REF. 170680200 17068020G2 17068020G3 Chrome $\overline{\textcircled{O}}$ Pure Gold Proud Rose Finish

266 | BATHROOM ACCESSORIES


-

6

17068020N2 17068020BZ

Brave Black

Loyal Bronze



REF.

REF.

REF.

REF.

REF

Chrome

BATHROOM ACCESSORIES COMBO



Alaior bath accessories Combo

Towel bar
Towel ring
Double robe hook
Glass soap dish with holder
Toilet paper holder with lid

Finish Chrome

REF. 170890200



TERMS AND CONDITIONS OF SALE

Strohm Bathroom Solutions S.A. (hereinafter **"Strohm"**) wants to inform you that we have general terms and conditions (hereinafter the "General Conditions") that have the express purpose of regulating the conditions which are applicable in all contracting processes carried out by the users and readers of this catalogue of products and services offered by Strohm.

The General Conditions can be accessed by means of the following web link: www.strohm-teka.com

These General Conditions shall remain in force and shall be valid for as long as they are accessible through the mentioned link, without prejudice to the fact that Strohm reserves the right to modify, without prior notice the General Conditions and any legal texts that are exposed in the present catalogue or in its web pages. In any case, access to the website after its modification, inclusion and / or replacement, implies acceptance of them by the any buyer or user of Strohm products.

The buyer, user, client is subject to the General Conditions in force whenever entering into any contract or agreement. It is not possible to enter into a contract or agreement with regards to any product and / or service without the prior acceptance of the General Conditions and where appropriate the particular conditions governing the provision of certain services which are agreed between the parties involved.

The General Conditions are always valid when they are published and when their consulting is possible by means of the abovementioned link. If they are partially or totally modified any new general conditions will be applicable as of the moment they are available to the buyer, user or client.

ACCEPTANCE OF CONDITIONS: All orders received imply the formal acceptance of the General Conditions, unless others were agreed otherwise in writing.

DESIGNS: Our models and pictures contained in this catalogue or in any of our marketing and publicity content which are shown and on display are for illustration purposes only. The actual product which will be sold may vary in color or size.

GUARANTEE: For cases where the Product or Products purchased present a lack of conformity because they do not correspond to the characteristics offered, present defects that prevent their normal use in accordance with their nature, or do not offer the services described for it, Strohm offers a 5-year guarantee for chromed or PVD single lever mixers, Dual Control or taps.

EXCEPTIONS: Painted surfaces: 3 years.

Shower accessories (Ex.: hand showers, showerheads, shower arms...): 3 years

Thermostatic mixers: 5 years

Electronic mixers/taps: 3 years

Vanity Units: 3 years

Mirrors and lamps: 3 years

Ceramic/mineral basins: 3 years

WC and bidet: 3 years warranty (ceramic: 5 years, seat: 3 years, flush valve: 3 years)

Concealed cisterns: 3 years

Shower trays: 3 years

Shower enclosures: 3 years

*Please check in each local market if some extension guarantee is applicable.

The rights offered by this guarantee are subject to the bill of sale and the guarantee card that accompanies every model.

For this guarantee to be valid, the defect's acceptance by our Quality Department is necessary in each case.

Our guarantee only covers the replacement, free of charge, and in no case are we to be held responsible for the damages directly or indirectly caused by its defect.

Loose parts or parts that were chromed, painted or treated, and that were cleaned using aggressive products, or stained by inappropriate substances, are not covered by our guarantee.



STROHM TEKA

Inspiring bathrooms

www.strohm-teka.com